

wavin **OSMA**



Trade Price List Below Ground Systems

13th April 2026

www.wavin.co.uk

Introduction to



Wavin Osma Below Ground Drainage systems, form part of a comprehensive range of plastic systems to provide intelligent solutions for all building, construction and utilities projects.

Key to abbreviations

- P/E – Pipe and fittings with both ends plain or with one plain end and one special end.
- S/S – Pipe and fittings with one or more ring-seal or push-fit sockets, but always one plain or special end.
- D/S – Fittings with ring-seal or push-fit sockets at all ends.
- S/SW – Fittings with one or more ring-seal sockets but always one solvent socket.

Symbols

British Standards Kitemark

Identifies pipe and fittings manufactured under the BSI Kitemark Certification Scheme.

British Board of Agrément

BBA logo identifies non-Kitemarked fittings covered by a British Board of Agrément Certificate.

WRAS Water Regulations Advisory Scheme

Identifies pipe and fittings that are WRAS approved.

WIS Water Industry Specification

WIS identifies products that conform to Water Industry Specifications.

CE Marking

CE identifies product manufactured in accordance with a harmonised European Norm (hEN) accompanied with a declaration of performance (DoP).

Important notes:

Wavin OsmaDrain fittings must be ordered in their pack multiples as illustrated in price list.

Product photos are for example only and not representative of every fitting size.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Email: info@wavin.co.uk Web: www.wavin.co.uk  [@WavinUK](https://twitter.com/WavinUK)

Acceptance

a) British Standards Institution

♥ Wavin Osma below ground drainage systems comply where applicable with the requirements of the following British Standards:

BS EN 124:1994 Gully tops and manhole tops for vehicular and pedestrian areas.

BS EN 1401-1:2009 Plastics piping systems for non-pressure underground drainage and sewerage.

BS EN 1433:2002 Drainage channels for vehicular and pedestrian areas – Classification, design and testing requirements, marking and evaluation of conformity.

BS EN 13476-2 Plastics piping systems for non-pressure underground drainage and sewerage – PVC-U.

BS EN 13598 – Parts 1&2 Plastics piping systems for non-pressure underground drainage and sewerage.

BS 4660:1989/2000 Unplasticized polyvinyl chloride (PVC-U) pipes and plastics fittings of nominal size 110mm and 160mm for below ground gravity drainage and sewerage.

BS 7158:2001 Plastics inspection chambers for drains and sewers – Specification.

BS 4962:1989 Plastic pipes for use as light duty sub-soil drains.

♥ WavinCoil pipe complies with BS4962 requirements and carries the BSI Kitemark.

♥ UltraRib pipes and fittings (where applicable) comply with the requirements of the following:

BS EN 13476-3 Plastics piping systems for non-pressure underground drainage and sewerage.

Water Industry Specifications (WIS): WIS 4-35-01 2008: Issue 2.

Specification for Thermoplastics Structured Wall Pipes, Joints and Couplers with a smooth bore for gravity sewers for the size range 150-900 inclusive.

Medium Density Polyethylene pipes up to nominal size 63mm.

Kitemarked to BS EN 12201-2:2003 (KM 80817).

b) British Board of Agrément

▲ Agrément Certificates have been awarded to the following systems:

87/1835 OsmaDrain Underground Drainage System.

10/H151 UltraRib HAPAS Roads and Bridges Highway Drainage System – 150mm, 225mm and 300mm.

98/3472 UltraRib Gravity Sewerage System – 150mm, 225mm and 300mm.

14/H214 UltraRib and TwinWall Road Gullies.








02/3940 TwinWall Drainage System.













03/4018 AquaCell Stormwater Management System.

02/H070 HAPAS Wavin TwinWall Highway Drainage.

Wavin OsmaDrain











Building drainage system 110-160mm










Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Pipe P/E Pipe 3.0m ♡ 3.0m ♡	110 160	4D073 6D073	50 25	125.82 288.60
	P/E Pipe 6.0m ♡ 6.0m ♡	110 160	4D076 6D076	50 25	251.63 577.28
	Slotted Pipe P/E Pipe 6.0m ♡ 6.0m ♡	110 160	4D066 6D066	50 25	392.75 798.85
	Couplers D/S Coupler – for jointing OsmaDrain slotted pipe	110 160	4D104 6D104	10 1	44.10 80.93
	D/S Slip Coupler – for new branch entry connections and repairs ♡ ♡	110 160	4D105 6D105	10 1	67.85 164.74
	D/S Pipe Coupler – for jointing OsmaDrain pipe ♡ ♡	110 160	4D205 6D205	20 1	35.96 82.35
	Socket S/S Settlement Socket – expansion joint, installed vertically to accommodate differential settlement	110	4D115	1	130.40
	Sleeve Protection Sleeve – for protection of pipe passing through walls	110	4D131	5	270.18
	Adaptors D/S Adaptor to Clay – for connecting 110mm OsmaDrain to HepSleve	110 160	4D127 6D127	10 5	152.03 330.36
	D/S Adaptor – to BS EN 295 thinwall clay spigot	110 160	4D129 6D129	1 1	120.45 291.42
	Rainwater Adaptor – for connecting 68mm round PVC-U RW pipe to OsmaDrain socket or spigot, external use only	110	4D149	5	31.92

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Universal Rainwater Adaptor – for connecting square/round rainwater downpipes up to 70mm, or waste pipe from 32mm up to 50mm, to 110mm OsmaDrain socket or spigot, external use only	110	4D159	10	34.00
	Internal Drain Connector – for 32mm/40mm waste pipe	110	4D298	5	36.02
	Internal Drain Connector – for 50mm waste pipe	110	4D299	5	41.50
	Adaptor – to soil stacks	110	4D464	10	108.67
	Temporary Site Cap – for blanking off a 110mm OsmaDrain socket or spigot	110	4D295	20	12.00
	Reducers S/S Level Invert Reducer – to 82mm OsmaDrain	110	4D095	5	93.06
	S/S Level Invert Reducer – to 110mm OsmaDrain	160	6D099	1	135.17
	Short Radius Bends Single Socket S/S Short Radius Bend – 87.5° ♥ ♥	110 160	4D161 6D161	10 1	65.57 252.80
	S/S Short Radius Bend – 67.5° ♥	110	4D162	5	70.95
	S/S Short Radius Bend – 45° ♥ ♥	110 160	4D163 6D163	10 1	65.57 252.80
	S/S Short Radius Bend – 30° ♥ ♥	110 160	4D166 6D166	10 1	63.15 224.09
	S/S Short Radius Bend – 15° ♥ ♥	110 160	4D167 6D167	5 1	63.15 224.09
	S/S Short Radius Bend – 11.25° ♥	110	4D168	5	63.15

Wavin OsmaDrain










Building drainage system 110-160mm











	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Double Socket D/S Short Radius Bend – 87.5° ♥	110	4D561	10	77.60
	♥	160	6D561	1	279.33
	D/S Short Radius Bend – 67.5° ♥	110	4D562	5	83.98
	D/S Short Radius Bend – 45° ♥	110	4D563	10	80.97
	♥	160	6D563	1	279.33
	D/S Short Radius Bend – 30° ♥	110	4D566	5	78.37
	♥	160	6D566	1	247.56
	D/S Short Radius Bend – 15° ♥	110	4D567	5	78.37
	♥	160	6D567	1	247.56
	D/S Short Radius Bend – 11.25° ♥	110	4D568	5	78.37
<hr/>					
	Adjustable Bends S/S Bend – 0° to 30° – for variable angles up to 30°, rotate segments to achieve required angle ▲	110	4D173	1	120.24
	D/S Bend – 0° to 30° – for variable angles up to 30°, rotate segments to achieve required angle ▲	110	4D573	1	140.28
<hr/>					
Long Radius Bends					
	Plain Ended P/E Bend – 90°	110	4D281	1	159.98
		160	6D281	1	594.16
	P/E Bend – 45° ♥	110	4D283	1	137.05
	♥	160	6D283	1	365.38
	Single Socket S/S Bend – 87.5° – with spigot length 900mm effective ♥	110	4D181	1	326.87
	S/S Bend – 45° – manufactured with cut out marks to convert bend to a channel bend for use with traditional manholes ♥	110	4D183	1	161.69

Description		Nom dia mm	Cat no	Pack qty	Price £ per piece
	Double Socket D/S Bend – 87.5° – satisfies recommendations of BS EN 12056: 2000 for base of soil stack applications. Manufactured with cut out marks to convert to a channel bend for use within traditional manholes ♡	110	4D581	5	138.24
	D/S Bend – 45° – manufactured with cut out marks to convert bend to a channel bend for use within traditional manholes ♡	110	4D583	1	180.32
Equal Junctions					
	S/S Junction – 87.5° ♡ ♡	110 160	4D190 6D190	5 1	139.86 456.56
	D/S Junction – 87.5° ♡ ♡	110 160	4D193 6D193	5 1	158.09 504.51
	S/S Junction – 45° ♡ ♡	110 160	4D210 6D210	5 1	145.95 417.20
	D/S Junction – 45° ♡ ♡	110 160	4D213 6D213	5 1	164.17 461.04
Unequal Junctions					
	S/S Junction – 87.5° – 160mm x 110mm ♡	160	6D198	1	351.91
	D/S Junction – 87.5° – 160mm x 110mm ♡	160	6D199	1	388.87
	S/S Junction – 45° – 160mm x 110mm ♡	160	6D218	1	359.33

Wavin OsmaDrain










Building drainage system 110-160mm











	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	D/S Junction – 45° – 160mm x 110mm ♥	160	6D219	1	397.08
Anti-Flood Valves For surface and foul water applications					
	S/S Anti-Flood Valve – single valve	110 160	4D921 6D921	1 1	587.94 709.18
Sealed Rodding Eyes					
	P/E Rodding Eye – square, sealed access cover, suitable for use in situations requiring a loading up to 15kN (1.5 tonnes), where the frame of the cover is supported by a concrete plinth Use in conjunction with D/S Bend	110 160	4D360 6D360	5 1	239.67 327.27
	S/S Square Top Rodding Point – sealed, c/w coupling	110	4D361	1	356.93
Screwed Access Fittings					
	P/E Screwed Access Cover – allows full bore access to the drainage system for cleaning, fits into a standard OsmaDrain ring seal socket ♥ ♥	110 160	4D292 6D292	5 1	72.79 166.52
	S/S Screwed Access Cover – allows full bore access to the drainage system for cleaning, fits over a standard OsmaDrain spigot ♥ ♥	110 160	4D290 6D290	5 1	123.84 217.66
	S/S Short Radius Access Bend – 87.5° – allows access via screwed access cover to the drainage system for cleaning ♥	110	4D169	5	286.14
	D/S Short Radius Access Bend – 87.5° – allows access via screwed access cover to the drainage system for cleaning ♥	110	4D569	5	311.76
	D/S Equal Access Junction – 87.5° – allows access via screwed access cover to the drainage system for cleaning ♥	110	4D593	5	361.71

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Socket Plugs					
	Socket Plug – internal blanking plug, fits into standard OsmaDrain spigot	110	4D291	10	36.95
	P/E Socket (Closed) Plug – incorporates one closed boss socket position, will form either a 32mm, 40mm or 50mm waste pipe connection when fitted with the appropriate boss socket adaptor	110	4D296	5	51.36
	P/E Socket Plug – allows full bore access to the drainage system for cleaning, fits into a standard OsmaDrain ring seal socket	160	6D296	1	110.12
	P/E Socket (Open) Plug – incorporates one open boss socket position, will form either a 32mm, 40mm or 50mm waste pipe connection when fitted with the appropriate boss socket adaptor	110	4D297	10	78.40
Universal Gully Fittings					
	S/S Universal Gully Trap – to obtain 'P', 'Q' or 'S' trap add appropriate 45° or 87.5° OsmaDrain bend	110	4D500	5	99.46
	P/E Plain Hopper – with 150mm long spigot	110	4D507	2	109.25
	P/E Vertical Inlet Hopper – with 150mm long spigot	110	4D508	1	133.67
	P/E Sealed Access Hopper – with 150mm long spigot	110	4D527	5	314.22
	SW/S Plain Hopper – with solvent socket	110	4D503	5	74.58
	S/S Bossed Pipe – with four boss sockets	110	4D589	5	74.87

Wavin OsmaDrain

Building drainage system 110-160mm

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Sealed Access Cover – for Universal Plain Hoppers complete with sealing ring and screws ▲</p>	–	4D526	1	160.02	
Bottle Gullies					
 <p>P/E Access Gully – square with rotating top and grid</p>	110	4D850	1	194.46	
 <p>S/S Paved Area Gully – polypropylene</p>	110	4D860	1	289.92	
 <p>S/S Bottle Gully – 87.5° – provides access to the drainage system for cleaning, supplied with all bosses closed</p>	110	4D900	1	219.07	
 <p>S/SW Bottle Gully – 87.5° – provides access to the drainage system for cleaning, supplied with side bosses closed but with 110mm back boss open</p>	110	4D901	1	277.34	
 <p>Sealed Access Cover – for 4D900/901 Bottle Gully – complete with sealing ring and screws</p>	–	4D915	1	215.57	
 <p>Bottle Gully Riser – 325mm long, for use with 4D900/901 Bottle Gully Range – 160mm spigot connection</p>	160	4D916	1	41.02	
 <p>DI Grating – for 4D900/901 Bottle Gully complete with screws – suitable for installations requiring a loading up to 35kN (3.5 tonnes), where the frame of the gully is supported by a concrete plinth</p>	–	4D919	1	166.21	
Yard Gully – 300mm diameter					
 <p>P/E Trapped Yard Gully – 600mm overall depth, supplied complete with removable rubber bung for rodding access ▲</p>	110	4D800	1	550.58	

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Grating and Frame – straight bar, hinged – suitable for use in installations requiring a BS EN124– B125 Medium Duty, loading up to 125kN (12.5 Tonnes) where the frame is supported in a concrete plinth ♥</p>	–	4D810	1	703.31
 <p>Perforated Galvanised Mild Steel Catchment Bucket ▲</p>	–	4D815	1	425.60
Suspended Bracketing System				
 <p>(Not suitable for damp inaccessible voids) Adjustable Pipe Bracket Assembly (pack contains threaded rod, threaded bracket, bracket plate and pipe/socket bracket)</p>	110	4D086	1	145.53
Lubricants				
 <p>Soluble Lubricant – 0.5kg tub</p>	–	4D391	1	64.25
 <p>Soluble Lubricant – 2.5kg tub</p>	–	4D395	1	185.35
Spares – General				
 <p>Snap Cap – 4D116 is combined cap and seal</p>	110 160	4D116 6D116	1 1	15.51 13.39
 <p>Ring Seal</p>	110	4D130	5	10.56
Spares – Rodding Eyes				
 <p>Screws – new style (pack of 4)</p>	–	4D318	1	9.31
Spares – Screwed Access Fittings				
 <p>Screwed Access Cap</p>	–	4D904	1	40.44
 <p>Access Cap Gasket</p>	–	4D992	1	13.39













Wavin OsmaDrain

Building drainage system 110-160mm

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Spares – Universal Gully Vertical Inlet Cover	–	4D505	10	44.32
	Gully Grating	–	4D506	1	21.82
	Spares – 4D900/4D901 Bottle Gullies Gully Plug	–	4D993	1	16.68
	Gully Grating	–	4D906	1	27.10
	Cover and Frame	–	4D908	1	79.71
	Spares – 4D850/4D860 Gullies Rotating Top and Grid – spare	–	4D851	1	66.12
	Spare Top – c/w grid	–	4D861	1	166.64
	Spares – 4D420/4D492 Inspection Junctions Sealed Inspection Junction Plug	–	4D494	10	56.67












Wavin Osma UltraRib







Foul and Surface Water drainage system 150-300mm

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Pipe				
	P/E Pipe				
	3.0m ▲ WIS ♡	150	6UR073	36	133.52
	3.0m ▲ WIS ♡	225	9UR073	16	388.17
	3.0m ▲ WIS ♡	300	12UR073	9	600.20
	S/S Pipe				
	3.0m ▲ WIS ♡	150	6UR043	36	163.36
	3.0m ▲ WIS ♡	225	9UR043	16	422.97
	3.0m ▲ WIS ♡	300	12UR043	9	634.23
	S/S Pipe				
	6.0m ▲ WIS ♡	150	6UR046	36	326.74
	6.0m ▲ WIS ♡	225	9UR046	16	845.94
	Rocker Pipe				
	S/S Rocker Pipe				
	- 600mm effective length				
	▲ ♡	150	6UR869	1	121.61
	▲ ♡	225	9UR869	1	277.89
	▲ ♡	300	12UR869	1	471.11
	Couplers				
	D/S Slip Coupler				
	- for new branch entry connections and repairs				
	▲ ♡	150	6UR105	1	96.03
	▲ ♡	225	9UR105	1	225.71
	▲ ♡	300	12UR105	1	450.03
	D/S Pipe Coupler				
	- for jointing UltraRib pipe				
	▲ WIS ♡	150	6UR205	1	90.05
	▲ WIS ♡	225	9UR205	1	195.97
	▲ WIS ♡	300	12UR205	1	394.85
	Adaptors				
	D/S Adaptor				
	- connector to BS EN 295 thinwall clay spigot				
	▲	150	6UR129	1	237.58
	S/S Adaptor				
	- 6UR socket x 160mm BS EN 1401 spigot				
	▲	150	6UR141	1	36.83
	D/S Adaptor				
	- 6UR socket x 160mm BS EN 1401 socket				
	▲	150	6UR142	1	229.11
	S/S Adaptor				
	- 6UR spigot x 160mm BS EN 1401 socket				
	▲	150	6UR143	1	200.50
	Reducers				
	S/S Level Invert Reducer				
	- to 110mm OsmaDrain spigot				
	▲	150	6UR099	1	70.71
	S/S Level Invert Reducer				
	- to 150mm UltraRib spigot				
	▲	225	9UR095	1	118.43

Wavin Osma UltraRib









Foul and Surface Water drainage system 150-300mm

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	D/S Level Invert Reducer – to 225mm UltraRib spigot ▲	300	12UR093	1	398.91
Short Radius Bends					
	S/S Bend – 45° ▲	150	6UR163	1	144.67
	D/S Bend – 87.5° – 6UR socket x 160mm BS EN 1401 socket ▲	150	6UR560	1	280.52
	D/S Bend – 87.5° ▲ ▲ ▲	150 225 300	6UR561 9UR561 12UR561	1 1 1	161.95 680.38 1071.71
	D/S Bend – 45° ▲ ▲ ▲	150 225 300	6UR563 9UR563 12UR563	1 1 1	120.43 506.51 919.82
	D/S Bend – 30° ▲ ▲ ▲	150 225 300	6UR566 9UR566 12UR566	1 1 1	120.43 536.49 892.83
	D/S Bend – 15° ▲ ▲ ▲	150 225 300	6UR567 9UR567 12UR567	1 1 1	120.43 523.11 850.09
Junctions					
	Equal Junction – 87.5° D/S Junction to UltraRib spigot ▲	150	6UR193	1	291.16
	Equal Junctions – 45° D/S Junction to UltraRib spigot ▲ ▲ ▲	150 225 300	6UR213 9UR213 12UR213	1 1 1	291.16 1010.02 2333.70
	Unequal Junction – 87.5° D/S Junction to BS EN1401 spigot – 150 x 110mm ▲	150	6UR199	1	276.60
	Unequal Junctions – 45° – to BS EN1401 spigot D/S Junction – 150 x 110mm ▲	150	6UR219	1	247.88
	D/S Junction – 225 x 110mm	225	9UR224	1	705.56
	D/S Junction – 225 x 160mm	225	9UR226	1	726.86
	D/S Junction – 300 x 160mm	300	12UR236	1	1562.40

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Unequal Junctions – 45° – to UltraRib spigot				
	D/S Junction – 225 x 150mm ▲	225	9UR227	1	726.86
	D/S Junction – 300 x 150mm ▲	300	12UR237	1	1442.18
	D/S Junction – 300 x 225mm ▲	300	12UR240	1	2221.49
Screwed Access Fittings					
	P/E Screwed Access Cover – allows full bore access to the sewerage system for cleaning, fits in to a standard UltraRib socket ▲	150	6UR292	1	128.59
	S/S Screwed Access Cover – allows full bore access to the sewerage system for cleaning, fits on to a standard UltraRib spigot ▲	150	6UR290	1	162.32
Socket Plugs					
	P/E Socket Plug – allows full bore access to the sewerage system for cleaning, fits in to a standard UltraRib socket ▲	150	6UR296	1	47.84
	▲	225	9UR296	1	235.00
	▲	300	12UR296	1	313.16
Road Gully					
	S/S Trapped Road Gully – 450mm diameter x 900mm deep ▲	150	6UR600	1	456.20
Lubricant					
	Soluble Lubricant – 2.5kg tub	–	6UR395	1	222.52
Spares General					
	Ring Seal	150	6UR117	5	14.21
	– UltraRib socket	225	9UR117	5	31.11
		300	12UR117	1	58.20








Wavin Osma SIC

Shallow Inspection Chambers

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Shallow Inspection Chamber (SIC) – 250mm diameter shaft for use with 110mm Wavin OsmaDrain to a maximum invert depth of 0.6 metres Wavin Osma Shallow Inspection Chamber is approved and Kitemarked to BS 7158:2001 and BS EN 13598-1:2010</p>				
 <p>Base Options D/S Equal Shallow Inspection Chamber – 110mm straight channel with one 110mm x 45° branch entry either side of the main channel, for use with 110mm OsmaDrain components. Supplied complete with 2 profiled, blank-off plugs for use in unused side entries ♥</p>	110	4D960	1	479.84
 <p>Cover and Frame Options Round Cover and Frame – A15 pedestrian – PVC-U – sealed, for use in situations requiring a loading up to 15kN (1.5 tonne) where the frame of the cover is supported by a concrete plinth. Can be used internally ♥</p>	-	4D325	1	272.53
 <p>Square Cover and Adjustable Frame – A15 pedestrian – PVC-U – sealed, for use in situations requiring a loading up to 15kN (1.5 tonne) where the frame of the cover is supported by a concrete plinth Can be used internally ♥</p>	-	4D961	1	272.53
<p>Spares</p>  <p>Cover to Frame Seal – 250mm diameter for use with 4D325 and 4D961 covers and frames</p>	-	4D314	5	29.96
 <p>Screws – 4D325/961 – pack of 4 for use in securing 4D325/ 4D961 cover to its frame</p>	-	4D318	1	9.31
 <p>Round Cover – PVC-U – 250mm diameter for use with 4D325 and 4D961 Frame</p>	-	4D328	1	97.88
 <p>Blank-off Plugs – 110mm diameter for use 4D960 Inspection Chamber base</p>	-	4D964	10	59.76










Wavin Osma MBIC

Multi-Base Inspection Chambers

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>Multi-Base Shallow Inspection Chambers (MBIC) – 315mm dia shaft for use with 110mm Wavin OsmaDrain to a maximum invert depth of 0.6 metres (0.9m adopted areas only) Wavin Osma Multi-Base Shallow Inspection Chambers are approved and Kitemarked to BS 7158:2001 and BS EN 13598-1:2010</p>				
	<p>Base Options</p>				
	<p>D/S Equal Inspection Chamber Base (WAJ 1) – 110mm straight channel for use with 110mm OsmaDrain components</p>	110	4D910	1	243.26
	<p>D/S Equal Inspection Chamber Base (WAJ 3) – 110mm straight channel with one 110mm x 90° left hand branch entry for use with 110mm OsmaDrain components</p>	110	4D911	1	249.00
	<p>D/S Equal Inspection Chamber Base (WAJ 13) – 110mm straight channel with one 110mm x 90° right hand branch entry for use with 110mm OsmaDrain components</p>	110	4D912	1	249.00
	<p>D/S Equal Inspection Chamber Base (WAJ 4) – 110mm straight channel with one 110mm x 45° left hand branch entry for use with 110mm OsmaDrain components</p>	110	4D913	1	249.00
	<p>D/S Equal Inspection Chamber Base (WAJ 12) – 110mm straight channel with one 110mm x 45° right hand branch entry for use with 110mm OsmaDrain components</p>	110	4D914	1	249.00
	<p>D/S Equal Inspection Chamber Base (WAJ 5) – 110mm straight channel with one 110mm x 45° branch entry either side of the main channel, for use with 110mm OsmaDrain components</p>	110	4D917	1	250.28







Wavin Osma MBIC

Multi-Base Inspection Chambers

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	D/S Equal Inspection Chamber Base (WAJ 2) – 110mm bent 90° channel for use with 110mm OsmaDrain components ♥	110	4D918	1	244.21
	D/S Equal Inspection Chamber Base (WAJ 16) – 110mm straight channel with one 110mm x 45° and one 110mm x 90° left hand branch entry, for use with 110mm OsmaDrain components ♥	110	4D933	1	252.95
	D/S Equal Inspection Chamber Base (WAJ 7) – 110mm straight channel with one 110mm x 45° and one 110mm x 90° right hand branch entry, for use with 110mm OsmaDrain components ♥	110	4D934	1	252.95
	D/S Equal Inspection Chamber Base (WAJ 18) – 110mm straight channel with two 110mm x 90° left/right hand branch entries, for use with 110mm OsmaDrain components ♥	110	4D935	1	350.11
Shaft Options					
	P/E Inspection Chamber Shaft – 315mm diameter x 150mm long for use with all types of multi-base 315mm bases Supplied with a pre-fitted elastomeric seal ♥	315	4D937	1	201.17
Cover and Frame Options					
	Square Cover and Adjustable Frame – A15 pedestrian – PVC-U – for use in situations requiring a loading up to 15kN (1.5 tonne) where the frame of the cover is supported by a concrete plinth For external use only ♥	-	4D969	1	317.79
Spares					
	Shaft Seal – 315mm diameter for use with 4D937 shaft sections	-	4D957	1	16.46
	Cover – spare cover for 4D969	-	4D970	1	105.46
	Screws – 4D969 – pack of 4 for use in securing 4D969 cover to its frame	-	4D971	1	13.22

Wavin Osma UIC






Universal Inspection Chambers










	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>Universal Inspection Chambers (UIC) – 450mm diameter shaft for use with 110mm or 160mm Wavin OsmaDrain or 150mm UltraRib to a maximum invert depth of 1.2 metres Wavin Osma Universal Inspection Chamber range is approved and Kitemarked to BS 7158:2001 and BS EN 13598-1:2010</p>				
	<p>Base Options D/S Equal Inspection Chamber Base – 110mm straight channel with four 110mm (2 x 45° and 2 x 90°) left/right hand branch entries, for use with 110mm OsmaDrain components Supplied complete with 3 x 110mm blank-off plugs for use in unused side entries</p>	110	4D922	1	692.96
	<p>D/S Equal Inspection Chamber Base – 160mm straight channel with two 160mm x 90° left/right hand branch entries, for use with 160mm OsmaDrain components Supplied complete with 1 x 160mm blank-off plug for use in unused side entries For use with 160mm OsmaDrain components</p>	160	6D928	1	759.01
	<p>For use with 150mm UltraRib components</p>	150	6UR928*	1	799.69
	<p>D/S UnEqual Inspection Chamber Base – 160mm straight channel with four 110mm (2 x 45° and 2 x 90°) left/right hand branch entries, for use with 110/160mm components Supplied with 3 x 110mm blank-off plug for use in unused side entries For use with 160mm OsmaDrain components</p>	160	6D929	1	822.77
	<p>For use with 150mm UltraRib components</p>	150	6UR929*	1	959.56

* OUR discount applies

Wavin Osma UIC





Universal Inspection Chambers

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Shaft Options P/E Inspection Chamber Shaft – 450mm diameter x 305mm long for use with all types of Universal Inspection Chamber 450mm bases. Supplied with a pre-fitted elastomeric seal ♡	450	4D975	1	234.56
	Cover and Frame Options Ductile iron B125 450mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth. 450mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas. SCR option with cover locking bolts for higher risk areas. ♡ ♡	-	4D952	1	959.60
		-	4D952SCR	1	1125.05
	NEW Ductile iron B125 600mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth. 600mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas. SCR option with cover locking bolts for higher risk areas. ♡ ♡	-	4D953	1	959.60
		-	4D953SCR	1	1125.05
	Round Cover and Frame – B125 – ductile iron – class BS EN 124-B125 medium duty, suitable for use in situations requiring a loading up to 125kN (12.5 tonnes), where the frame of the cover is supported by a concrete plinth ♡	-	4D942	1	639.47
	Square Cover and Frame – A15 – polypropylene – for use with the Osma 4D975 Inspector Chamber Shaft in situations requiring a loading up to 15kN (1.5 tonnes) Comes complete with a 350mm restricted access for depths greater than 1.2 metres When surrounded by a concrete plinth the 4D920 can be used in situations with loadings up to 50kN (5 tonnes) ♡	-	4D920	1	473.42



	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Round Cover and Frame – A15 – polypropylene – for use with the Osma 4D975 Inspection Chamber Shaft in situations requiring a loading up to 15kN (1.5 tonnes) Comes complete with a 350mm restricted access for depths greater then 1.2 metres ♥	-	4D924	1	398.01
	Round Cover and Frame – A15 – polypropylene – for use with the Osma 4D975 Inspection Chamber Shaft in situations requiring a loading up to 15kN (1.5 tonnes) ♥	-	4D927	1	264.49
Accessories					
	Inspection Chamber Channel Cover – left hand, for use with 4D922 Inspection Chamber Base only to blank-off unused side entries	-	4D948	1	338.31
	Inspection Chamber Channel Cover – right hand, for use with 4D922 Inspection Chamber Base only to blank-off unused side entries	-	4D949	1	338.31
	Cover Sealing Ring – 450mm diameter, for sealing the cover of the 4D920/924/927 to its corresponding frame	-	4D994	1	44.68
Spares					
	Inlet Blank-off Plugs – 110mm diameter for use with all 110mm chamber inlets	-	4D926	1	38.22
	Screws - 4D920 – pack of 4 for use in securing 4D920 cover to its frame	-	4D995	1	13.71
	Screws - 4D927 – pack of 4 for use in securing 4D927 cover to its frame	-	4D996	1	9.52
	Eye Bolts - 4D920 – pack of 3 for use in securing 4D920 frame to its shaft	-	4D997	1	6.43

Wavin Osma NIC

Non Man-Entry Inspection Chambers

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Non Man-Entry Inspection Chamber (NIC) – 500mm diameter shaft for use with 110mm or 160mm OsmaDrain or 150mm UltraRib to a maximum invert depth of 3.0 metres Osma Non Man-Entry Inspection Chamber (NIC) range is approved and Kitemarked to BS 7158:2001</p>					
	<p>Base Options</p>				
 <p>D/S Equal Inspection Chamber Base – 110mm straight channel with two 110mm x 45° and two 110mm x 90° left/right hand branch entries, for use with 110mm OsmaDrain components Supplied complete with a base to shaft sealing ring and 3 x 110mm blank-off plugs for use in unused side entries ♡</p>		110	4D923	1	879.39
 <p>D/S Equal Inspection Chamber Base – 160mm straight channel with two 160mm x 90° left/right hand branch entries, for use with 160mm OsmaDrain components Supplied complete with a base to shaft sealing ring and 1 blank-off plugs for use in unused side entries For use with 160mm OsmaDrain components ♡</p>		160	6D936	1	878.58
 <p>For use with 150mm UltraRib components ♡</p>		150	6UR936*	1	961.85






* OUR discount applies

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>D/S UnEqual Inspection Chamber Base</p> <p>– 160mm straight channel with two 110mm x 45° and two 110mm x 90° left/right hand branch entries, for use with 110/160mm components.</p> <p>Supplied complete with a base to shaft sealing ring and 3 blank-off plugs for use in unused side entries</p> <p>For use with 160mm OsmaDrain components</p>	160	6D937	1	878.59
	<p>For use with 150mm UltraRib components</p>	150	6UR937*	1	894.61
Shaft Options					
	<p>P/E Inspection Chamber Shaft</p> <p>– 500mm diameter for use with all types of NIC Chamber Bases</p> <p>Inspection Chamber Shaft 1.5 metre length</p>	500	6D934	1	1052.95
	<p>Inspection Chamber Shaft 3.0 metre length</p>	500	6D938	1	1835.60
	<p>Restriction Access Cap</p> <p>– for use with 6D934/6D938 shaft sections, restricts access to 350mm Requires 500TW117 seal</p>	500	6D930	1	338.15
	<p>Shaft to Restriction Access Cap Seal</p> <p>– 500mm diameter for use with 6D930 Restriction Access Cap</p>	-	500TW117†	1	132.61
	<p>NIC Telescopic Adaptor</p> <p>– suitable for use with 4D920 cover and frame. Allows height adjustment and accommodation of slopes. Restricted to 350mm internal diameter. Supplied with seal.</p>	-	6D940	1	353.07

* OUR discount applies † TWI discount applies







Wavin Osma NIC

Non Man-Entry Inspection Chambers

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 	<p>Cover and Frame Options</p> <p>Ductile iron B125 450mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth. 450mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas. SCR option with cover locking bolts for higher risk areas.</p> <p>♥ ♥</p>	-	4D952	1	959.60
 	<p>Ductile iron B125 600mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth. 600mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas. SCR option with cover locking bolts for higher risk areas.</p> <p>♥ ♥</p>	-	4D952SCR	1	1125.05
	<p>Spares</p> <p>Chamber Base to Shaft Seal – 500mm diameter for use with 6D934/6D938 shaft sections</p>	-	4D953	1	959.60
		-	4D953SCR	1	1125.05
		-	6D917	1	193.97






Wavin Range 315 IC






Non Man-Entry Inspection Chambers: Range 315

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>Non Man-Entry Inspection Chambers: Range 315 – 300mm diameter shaft for use with 110mm Wavin OsmaDrain to a maximum invert depth of 2.0 metres Wavin Inspection Chamber Range 315 is approved and Kitemarked to BS EN 13598-2:2009</p>				
	<p>Base Options D/S Equal Inspection Chamber Base – 110mm straight channel with one 110mm x 45°, branch entry either side of the main channel, for use with 110mm Wavin OsmaDrain components Supplied complete with a base to shaft sealing ring</p>	110	34NE303	1	437.87
	<p>Shaft Options P/E Inspection Chamber Shaft – 300mm diameter x 2.0 metres long for use with all types of range 315 bases</p>	315	30NE002	1	270.81
	<p>Cover and Frame Options Square Cover and Frame – A15 – polypropylene – sealed, for use in situations requiring a loading up to 15kN (1.5 tonnes) where the frame of the cover is supported by a concrete plinth</p>	-	30NE015	1	359.94
	<p>Spares Chamber Base to Shaft seal – 315mm diameter for use with 30NE002</p>	-	30NE200	1	25.81
	<p>Screws – 30NE015 – pack of 4 for use in securing 30NE015 cover to its frame</p>	-	30NE205	1	8.38
	<p>Spare Cover – polypropylene – for use with 30NE015 frame</p>	-	30NE203	1	211.01

Wavin Range 450 IC

Non Man-Entry Inspection Chambers: Range 450









	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>Non Man-Entry Inspection Chambers: Range 450 – 450mm diameter shaft for use with 110mm or 160mm Wavin OsmaDrain or 150mm UltraRib (via adaptor) to a maximum invert depth of 3.0 metres Wavin Inspection Chamber Range 450 is approved and Kitemarked to BS EN 13598-2:2009</p>				
 	<p>Base Options D/S Equal Inspection Chamber Base – 110mm straight channel with two 110mm x 45° and two 110mm x 90° left/right hand branch entries, for use with 110mm OsmaDrain components Supplied complete with a base to shaft sealing ring and three 110mm blank-off plugs for use in unused side entry ♡</p> <p>D/S UnEqual Inspection Chamber Base – 160mm straight channel with two 110mm x 45° and two 160mm x 90° left/right hand entries, for use with 110mm or 160mm OsmaDrain or 150mm UltraRib components Supplied complete with a base to shaft sealing ring and two 110mm and one 160mm blank-off plugs for use in unused side entry ♡</p> <p>For connection to 150mm UltraRib use adaptor 6UR141</p>	<p>110</p> <p>160</p>	<p>44NE306</p> <p>46NE309</p>	<p>1</p> <p>1</p>	<p>620.94</p> <p>640.48</p>
 	<p>Shaft Options P/E Inspection Chamber Shaft – 450mm diameter x 3.0 metres long for use with all types of range 450 bases ♡</p> <p>Restriction Access Cap – for use with 40NE300 shaft sections, restricts access to 350mm, supplied with one 450mm sealing ring</p>	<p>450</p> <p>450</p>	<p>40NE300</p> <p>40NE930</p>	<p>1</p> <p>1</p>	<p>529.07</p> <p>283.24</p>




	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 	<p>Cover and Frame Options</p> <p>Ductile iron B125 450mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth.</p> <p>450mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas.</p> <p>SCR option with cover locking bolts for higher risk areas.</p> <p>♥</p> <p>♥</p>	-	4D952	1	959.60
 	<p>Ductile iron B125 600mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth.</p> <p>600mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas.</p> <p>SCR option with cover locking bolts for higher risk areas.</p> <p>♥</p> <p>♥</p>	-	4D952SCR	1	1125.05
	<p>Spares</p> <p>Chamber Base to Shaft Seal – 450mm diameter for use with 40NE300</p>	-	4D953	1	959.60
		-	4D953SCR	1	1125.05
		-	450TW117 [†]	1	78.77

[†] TWI discount applies

Wavin Range 600 IC





Non Man-Entry Inspection Chambers: Range 600

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Non Man-Entry Inspection Chambers: Range 600 – 600mm diameter shaft for use with 150/225/300mm UltraRib or 150/225/300mm TwinWall (via adaptor) to a maximum invert depth of 3.0 metres for SFA7 & DCG locations & 5.0 metres in non-adoptable locations Wavin Inspection Chamber Range 600 is approved and Kitemarked to BS EN 13598-2:2009</p>				
<p>Base Options D/S Equal Inspection Chamber Base – straight channel for use with 150/225/300mm UltraRib components Supplied complete with a base to shaft sealing ring and two UltraRib seals as appropriate For use with 150mm UltraRib components</p>				
 <p>▽ ▲</p> <p>For use with 225mm UltraRib components</p>	150	66NE300	1	1700.52
 <p>▽ ▲</p> <p>For use with 300mm UltraRib components</p>	225	69NE300	1	2093.40
 <p>▽ ▲</p> <p>For connection to TwinWall use the appropriate S/S Adaptor i.e. 6TW145, 9TW145 or 12TW145</p>	300	612NE300	1	2809.47
 <p>D/S Equal Inspection Chamber Base – bent 90° channel for use with 150/225/300mm UltraRib components Supplied complete with a base to shaft sealing ring and two UltraRib seals as appropriate For use with 150mm UltraRib components</p>				
 <p>▽ ▲</p> <p>For use with 225mm UltraRib components</p>	150	66NE314	1	1970.45
 <p>▽ ▲</p> <p>For use with 300mm UltraRib components</p>	225	69NE314	1	2479.02
 <p>▽ ▲</p> <p>For connection to TwinWall use the appropriate S/S Adaptor i.e. 6TW145, 9TW145 or 12TW145</p>	300	612NE314	1	2809.47

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>D/S Equal Inspection Chamber Base – bent 30° channel for use with 150/225/300mm UltraRib components Supplied complete with a base to shaft sealing ring and two UltraRib seals as appropriate For use with 150mm UltraRib components</p> <p>▽▲</p> <p>For use with 225mm UltraRib components</p> <p>▽▲</p> <p>For use with 300mm UltraRib components</p> <p>▽▲</p> <p>For connection to TwinWall use the appropriate S/S Adaptor i.e. 6TW145, 9TW145 or 12TW145</p>	150	66NE315	1	1970.45
	<p>D/S Equal Inspection Chamber Base – straight channel, with two equal 90° left/right hand branch entries, for use with 150/225/300 UltraRib components Supplied complete with a base to shaft sealing ring and four UltraRib seals as appropriate For use with 150mm UltraRib components</p> <p>▽▲</p> <p>For use with 225mm UltraRib components</p> <p>▽▲</p> <p>For use with 300mm UltraRib components</p> <p>▽▲</p> <p>For connection to TwinWall use the appropriate S/S Adaptor i.e. 6TW145, 9TW145 or 12TW145</p>	150	66NE316	1	1970.45
	<p>Shaft Options P/E Inspection Chamber Shaft – 600mm diameter x 3.0 metres long for use with all types of range 600 bases</p> <p>▲</p>	600	60NE003	1	965.79

Wavin Range 600 IC



Non Man-entry Inspection Chambers: Range 600

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Restriction Access Cap – for use with 60NE003 shaft sections, restricts access to 350mm, supplied with one 600mm sealing ring	600	60NE930	1	243.69
 	Cover and Frame Options Ductile iron B125 600mm square cover and frame – for loadings up to 125kN (12.5 tonnes) when frame is supported by a concrete plinth. 600mm clear opening with 75mm deep frame, suitable for tarmacked or block paved areas. SCR option with cover locking bolts for higher risk areas.				
	♥	-	4D953	1	959.60
	♥	-	4D953SCR	1	1125.05
	Spares Chamber Base to Shaft Seal – 600mm diameter for use with 60NE003	-	600TW117 [†]	1	192.82

[†] TWI discount applies








Wavin IC Ancillaries

Inspection Chambers – Ancillaries

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
<p>Non Man-Entry Inspection Chambers – for connecting 110/160mm OsmaDrain pipe to IC Ranges 315, 450 and 600 shaft sections</p>				
 <p>Connector Kit</p>	110	NE950	1	85.17
	160	NE960	1	130.08

Wavin Osma Channels

Domestic Channel Drainage

	Description	Weight kg	Cat no	Pack qty	Price £ per piece
	Domestic Channel Drainage RainChannel (Polypropylene) – 1.0m length – 87mm overall depth, black polypropylene channel, complete with black polypropylene snap-in grating	1.79	100OC410	49	94.57
	RainChannel End Plate	0.03	100OC460	10	12.83
	RainChannel Garage Pack – 3 x 1.0m channels and 2 end plates – in a handy carry home pack	5.43	100OC461	1	440.81
	Threshold Drain Channel (PVC-U) – 1.2m length – Complete with grating	1.64	100OC510	5	150.18
	Threshold Drain End Plate (Pair)	0.03	100OC560	1	29.07
	Threshold Drain Outlet Adaptor	0.02	100OC520	1	42.49
	Threshold Drain Jointing Piece	0.02	100OC530	1	18.67

Wavin TwinWall







Surface water drainage system 150-600mm

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
-------------	------------	--------	----------	-------------------

Please Note:







1. * Indicates non-stocked item, lead time available on request.






2. Fitting prices are exclusive of ring seals, order separately if required.

Pipe				
	P/E Pipe 6.0m unperforated			
	▲	150	6TW076	33 142.95
	▲	225	9TW076	14 366.22
	▲	300	12TW076	8 569.64
	▲	375	375TW076	4 1308.45
	▲	450	450TW076	4 1759.58
	▲	500	500TW076	4 2007.48
	▲	600	600TW076	1 2585.93
	P/E Pipe 6.0m perforated			
	▲	150	6TW176	33 151.36
	▲	225	9TW176	14 385.82
	▲	300	12TW176	8 616.65
	▲*	375	375TW086	4 1490.20
	▲*	450	450TW086	4 1835.33
	▲*	500	500TW086	2 2208.13
	▲*	600	600TW086	1 2914.67
	P/E Pipe 6.0m half perforated			
	▲	150	6TW276	33 151.31
	▲	225	9TW276	14 385.85
	▲	300	12TW276	8 616.65
	▲*	375	375TW096	4 1490.20
	▲*	450	450TW096	4 1835.33
	▲*	500	500TW096	2 2208.13
	▲*	600	600TW096	1 2914.67
	S/S Pipe 6.0m unperforated			
	▲	375	375TW046	4 1373.49
	▲	450	450TW046	4 1921.78
	▲	500	500TW046	4 2265.63
	▲	600	600TW046	1 2927.98
	S/S Pipe 6.0m perforated			
	▲*	375	375TW066	4 1554.79
	▲*	450	450TW066	4 1998.02
	▲*	500	500TW066	4 2376.13
	▲*	600	600TW066	1 3126.30
	S/S Pipe 6.0m half perforated			
	▲*	375	375TW056	4 1554.79
	▲*	450	450TW056	4 1998.02
	▲*	500	500TW056	4 2376.13
	▲*	600	600TW056	1 3126.30

Wavin TwinWall





Surface water drainage system 150-600mm






	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Couplers					
	D/S Pipe Coupler – for joining TwinWall Pipe				
	▲	150	6TW205	10	18.34
	▲	225	9TW205	8	32.50
	▲	300	12TW205	3	53.50
	▲	375	375TW205	1	162.02
	▲	450	450TW205	1	200.36
	▲	500	500TW205	1	309.55
	▲	600	600TW205	1	408.24
Adaptors					
	D/S Adaptor – connector to BS EN 295 thinwall clay spigot				
	▲	150	6TW129	1	217.79
	S/S Adaptor – 6TW socket x 160mm BS EN 1401 spigot				
	▲	150	6TW141	1	60.26
	D/S Adaptor – 6TW socket x 160mm BS EN 1401 socket				
	▲	150	6TW142	1	60.26
	S/S Adaptor – 6UR spigot x 6TW socket				
	▲	150	6TW145	1	80.99
	S/S Adaptor – 9UR spigot x 9TW socket				
	▲	225	9TW145	1	210.19
	S/S Adaptor – 12UR spigot x 12TW socket				
	▲	300	12TW145	1	293.47
Reducers					
	D/S Level Invert Reducer – 6TW socket x 100mm socket				
		150	6TW097	1	117.26
	S/S Level Invert Reducer – 6TW spigot x 110mm BS EN 1401 socket, includes seal				
	▲	150	6TW099S	1	124.81
	S/S Level Invert Reducer – 9TW spigot x 6TW socket, includes seal				
	▲	225	9TW095S	1	162.64
	S/S Level Invert Reducer – 12TW spigot x 9TW socket, includes seal				
	▲	300	12TW093S	1	242.83
	S/S Level Invert Reducer – 375TW spigot x 12TW socket				
	▲	375	375TW099	1	628.08

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
S/S Level Invert Reducer – 450TW spigot x 375TW socket ▲	450	450TW099	1	949.43
S/S Level Invert Reducer – 500TW spigot x 450TW socket ▲	500	500TW099	1	1292.08
S/S Level Invert Reducer – 600TW spigot x 500TW socket ▲	600	600TW099	1	1314.60
Short Radius Bends				
D/S Bend– 87.5°				
 ▲	150	6TW561	1	108.43
▲	225	9TW561	1	348.94
▲	300	12TW561	1	598.14
▲	375	375TW561	1	1265.87
▲	450	450TW561	1	1511.10
▲	500	500TW561	1	2072.88
▲	600	600TW561	1	2389.32
D/S Bend– 45°				
 ▲	150	6TW563	1	108.43
▲	225	9TW563	1	348.94
▲	300	12TW563	1	598.14
▲	375	375TW563	1	1265.87
▲	450	450TW563	1	1511.10
▲	500	500TW563	1	2072.88
▲	600	600TW563	1	2389.32
D/S Bend– 30°				
 ▲	150	6TW566	1	108.43
▲	225	9TW566	1	348.94
▲	300	12TW566	1	598.14
▲	375	375TW566	1	1265.87
▲	450	450TW566	1	1511.10
▲	500	500TW566	1	2072.88
▲	600	600TW566	1	2389.32
D/S Bend– 15°				
 ▲	150	6TW567	1	108.43
▲	225	9TW567	1	348.94
▲	300	12TW567	1	598.14
▲	375	375TW567	1	1265.87
▲	450	450TW567	1	1511.10
▲	500	500TW567	1	2072.88
▲	600	600TW567	1	2389.32
Equal Junction – 45°				
D/S Junction to TwinWall spigot				
 ▲	150	6TW213	1	179.05
▲	225	9TW213	1	697.89
▲	300	12TW213	1	1993.50
▲	375	375TW375x45	1	3235.18
▲	450	450TW450x45	1	3797.56
▲	500	500TW500x45	1	5379.86
▲	600	600TW600x45	1	5854.47

Wavin TwinWall



Surface water drainage system 150-600mm

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	Equal Junction – 90° D/S Junction to TwinWall spigot				
	▲	150	6TW193	1	197.49
	▲	225	9TW193	1	657.37
	▲	300	12TW193	1	1771.47
	S/S Junction to TwinWall spigot				
	▲*	375	375TW375x90	1	2925.73
	▲*	450	450TW450x90	1	3797.56
	▲*	500	500TW500x90	1	5379.86
	▲*	600	600TW600x90	1	5854.49
	Unequal Junction – 45° D/S Junction to TwinWall spigot				
	– 225mm x 150mm	225	9TW227	1	458.69
	– 300mm x 150mm	300	12TW237	1	681.56
	– 300mm x 225mm	300	12TW240	1	1216.03
	– 375mm x 150mm	375	375TW150x45	1	976.36
	– 450mm x 150mm	450	450TW150x45	1	1059.03
	– 500mm x 150mm	500	500TW150x45	1	1424.11
	– 600mm x 150mm	600	600TW150x45	1	1533.78
	S/S Junction to TwinWall spigot – 45°				
	– 375mm x 225mm	375	375TW225x45	1	1463.69
	– 375mm x 300mm	375	375TW300x45	1	2357.66
	– 450mm x 225mm	450	450TW225x45	1	1898.72
	– 450mm x 300mm	450	450TW300x45	1	2057.07
	– 450mm x 375mm	450	450TW375x45	1	3797.56
	– 500mm x 225mm	500	500TW225x45	1	2136.15
	– 500mm x 300mm	500	500TW300x45	1	2333.94
	– 500mm x 375mm	500	500TW375x45	1	5300.70
	– 500mm x 450mm	500	500TW450x45	1	5300.70

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece	
 <p>S/S Junction to TwinWall spigot – 45° – 600mm x 225mm ▲* – 600mm x 300mm ▲* – 600mm x 375mm ▲* – 600mm x 450mm ▲* – 600mm x 500mm ▲*</p>	600	600TW225x45	1	2449.53	
	600	600TW300x45	1	5854.47	
	600	600TW375x45	1	5854.47	
	600	600TW450x45	1	5854.47	
	600	600TW500x45	1	5854.47	
	Unequal Junction – 90°				
	 <p>S/S Junction to TwinWall spigot – 375mm x 150mm ▲* – 375mm x 225mm ▲* – 450mm x 150mm ▲* – 450mm x 225mm ▲* – 500mm x 150mm ▲* – 600mm x 150mm ▲*</p>	375	375TW150x90	1	1079.62
375		375TW225x90	1	1463.69	
450		450TW150x90	1	1171.02	
450		450TW225x90	1	1898.72	
500		500TW150x90	1	1460.61	
600		600TW150x90	1	1696.01	
End Caps For TwinWall spigot					
		150	6TW750	1	55.55
	225	9TW750	1	105.05	
	300	12TW750	1	129.40	
	375	375TW750	1	158.31	
	450	450TW750	1	218.81	
	500	500TW750	1	275.69	
	600	600TW750	1	319.37	
Ring Seal TwinWall socket					
	150	6TW217	1	7.10	
	225	9TW217	1	17.11	
	300	12TW217	1	31.56	
	375	375TW117	1	69.63	
	450	450TW117	1	78.77	
	500	500TW117	1	132.61	
	600	600TW117	1	192.82	
Road Gullies P/E Road Gully					
	150	6TW650	1	228.35	
	150	6TW651	1	206.48	

WavinCoil

Land Drainage 80-100mm

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Corrugated Coiled Pipe – Perforated S/S Coil – 25m ♡ S/S Coil – 25m ♡ S/S Coil – 50m ♡</p>	80	80D025	1	173.36
	100	100D025	1	282.46
	100	100D050	1	533.70
 <p>Equal Junctions – 67.5° D/S Multi junction – with reducing bush to 80mm or 100mm pipe ♡</p>	100	100D215	1	19.79

Introduction to

Wavin Stormwater Management systems

Wavin’s specialist approach to responsible management of stormwater, including its efficient capture, transportation, cleansing, infiltration and attenuation and re-use. We’re ready to contribute at any stage in a project, with one central goal: to help achieve the optimum project outcome. Our in-depth expertise, design insight and proven system technology is applied wherever required to ensure each installed scheme achieves maximum efficiency of cost and integrated function, and full compliance to the latest regulatory criteria.

Key to abbreviations

B	Black
Gn	Green

G	Grey
W	White

Symbols

 **British Standards Kitemark**


Identifies pipe and fittings manufactured under the B.S.I. Certification Scheme.

 **British Board of Agrément**

BBA Logo Identifies non-Kitemarked fittings covered by a British Board of Agrément Certificate.




Acceptance

a) British Board of Agrément

 AquaCell Eco and Core-R have been awarded British Board of Agrément approval under BBA Agrément Certificate No.03/4018.

Wavin Vortex Valves








Vortex Flow Control Valves

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
<p>Vortex Flow Control Valves – for the management of stormwater discharge</p>				
 <p>Tornado – Vortex Flow Control Valves * – comes complete with an integral pivoting bypass door and stainless steel wire rope, facilitating emergency drain-down from ground level. Spigot or plate fixing options available.</p>	–	–	–	POA
 <p>Hurricane – Vortex Flow Control Valves * – comes complete with lifting handle, which enables easy and convenient de-mounting/ mounting of the valve from ground level. Spigot or plate fixing options available.</p>	–	–	–	POA
 <p>Typhoon – Vortex Flow Control Valves * – comes complete with integral drain-down facility via a removable up-stand pipe from ground level. Spigot or plate fixing options available.</p>	–	–	–	POA

* The vortex valves are bespoke and custom built for any required discharge rate, contact Technical Design for more information.

Wavin AquaCell











AquaCell system

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	AquaCell Modular Units AquaCell Eco (for landscaped/ non-trafficked sites) – for soakaway and storage applications - 1.0m x 0.5m x 0.4m 100% recycled polypropylene modular unit - 95% void Supplied complete with three clips and two shear connectors (BBA No. 03/4018)	160	6LB025	12	204.89
	AquaCell Core-R (for both regular and heavy traffic loadings) – for soakaway and storage applications – 1.0m x 0.5m x 0.4m modular unit – 95% void Supplied complete with three clips and two shear connectors (BBA No. 03/4018)	160	6LB150	12	328.96
	AquaCell Plus-R (for deep and/ or inspectable applications in landscaped and regular/heavily trafficked areas) – for soakaway and storage applications where inspectability is required – 1.0m x 0.5m x 0.4m modular unit – 95% void. Supplied complete with three clips, two shear connectors and one end cap	160	6LB250	12	376.11
	Silt Traps Silt Trap 500mm diameter x 1.25m depth – with 160mm OsmaDrain inlet – with 225mm TwinWall inlet – with 300mm TwinWall inlet		6LB600 6LB622 6LB630	1 [◇] 1 [◇] 1 [◇]	1770.71 1770.71 1770.71
	Domestic Silt Trap - for non loaded applications – 250mm diameter x 750mm depth – with 110mm diameter inlet and outlet spigots (for use with the 4D325 cover and frame)		6LB300	1	420.69
	Extension Piece for 6LB300 – 250mm diameter x 500mm depth (effective length = 335mm)		6LB301	1	233.62
	Silt Trap Bucket for 6LB300 – 200mm x 210mm depth		6LB302	1	250.46

[◇] Non-stock item, lead time and terms and conditions available on request.

Wavin AquaCell






AquaCell system

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Ancillary Items					
	S/S Adaptor – 6UR socket x 160mm BS EN 1401 spigot for connection of UltraRib to infiltration unit	150	6UR141*	1	36.83
	S/S Level Invert Reducer – to 110mm pipe	150	6UR099*	1	70.71
	S/S Adaptor – 6TW socket x 160mm BS EN 1401 spigot	150	6TW141†	1	60.26
	S/S Level Invert Reducer – to 110mm OsmaDrain	160	6D099●	1	135.17
	PE Adaptor – 160mm spigot connection	150	4D916●	1	41.02
	Flange Adaptor (150mm) – 6UR socket for connection of UltraRib to infiltration unit at positions other than preformed opening	150	6LB104	1	208.62
	Flange Adaptor (225mm) – 9UR socket for connection of UltraRib to infiltration unit	225	6LB106	1	338.54
	AquaCell Clip (spare) – for joining units		6LB105	1	4.15
	AquaCell Shear Connector (spare) – for joining in multi-layer installations		6LB102	1	3.12
	AquaCell Plus-R End Cap (spare) – for blocking off unused inlets/ outlets		6LB202	1	6.47

● ODR discount applies, * OUR discount applies, † TWI discount applies




Wavin AquaCell

AquaCell NG system

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	<p>AquaCell NG AquaCell NG Structural Unit – Structural unit of the AquaCell NG system – For infiltration and attenuation applications – 1.2m x 0.6m x 0.4m – 100% recycled PP – BBA No. 03/4018 ▲</p>		ANG-IU	1	POA
	<p>AquaCell NG Base Plate – Base plate for use in both infiltration and attenuation applications – Required only on first layer of the tank</p>		ANG-BP	1	POA
	<p>AquaCell NG Side Panel – For use on external walls of AquaCell NG tanks</p>		ANG-SP	1	POA
	<p>AquaCell NG Pipe Connector – For connecting 225 and 300mm pipes – A suitably sized FlexSeal adapter (supplied by others) is required to make the connection</p>	315	ANG-PC	1	POA
	<p>AquaCell NG Shaft Connector – For connecting 300mm inspection shaft – A suitably sized FlexSeal adapter (supplied by others) is required to make the connection</p>	315	ANG-TA	1	POA

Wavin Garastor

Garastor system













Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Garastor Storm and Surface Water Control Chamber Garastor Storm and surface water control chamber – 500mm diameter x 1.0m deep unit – 500mm diameter x 1.25m deep unit</p>		6SC500 6SC501	1 [◊] 1 [◊]	2584.64 2831.58
<p>Ancillary Items</p> <p> Garastor Extension Kit – 500mm diameter TwinWall coupler and two ring seals, shaft of TwinWall pipe also required</p> <p> Garastor Connection Kit – Section of 150mm TwinWall pipe (220mm in length) and two ring seals</p>		6SC205 6SC200	1 1	554.25 119.00

[◊] Non-stock item, lead time and terms and conditions available on request.

Wavin TreeTank

TreeTank system












Wavin TreeTank supports healthy tree growth and manages stormwater in one compact, modular system. Designed for strength and flexibility, it protects roots beneath roads and pavements while reducing runoff – helping cities stay green, resilient and SuDS-compliant.

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 TreeTank Unit 1.2m x 0.6m x 0.6m high Supplied complete with two removable opening inserts (3097253)		3097209	1	POA
Ancillary Items				
 TreeTank Base Plate 1.2m x 0.6m For use on base of installation		3094654	1	POA
 TreeTank Side Plate For use on outer perimeter of installation		3094655	1	POA
 Geotextile Geolon FW180 GN L=10 Folded		4063904	1	POA
 Geotextile Geolon FW180 GN B=5.2 L=25m B=5.2 L=50m B=5.2 L=100m		4063905	1	POA
		4063956	1	POA
		4063957	1	POA
 Geotextile TYPAR SF 77 GR B=5.2 L=100m		4081432	1	POA
 TreeTank Vent Pipe Connection Plate 110mm	110	4085170	1	POA
 TreeTank Vent Pipe 110mm L=1.0m	110	4021867	1	POA
 TreeTank Ventilation Cover (not suitable for trafficked applications)	110	4084907	1	POA
 TreeTank Substrate Funnel For easy filling of system		4085169	1	POA
 Replacement TreeTank opening insert		3097253	1	POA
 TreeTank Cover Removal Tool		4085231	1	POA

Wavin PolderRoof










PolderRoof system

Wavin PolderRoof transforms rooftops into active water buffers, helping cities manage heavy rainfall and reduce flood risk. Its intelligent system temporarily stores rainwater, releasing it gradually to ease pressure on drainage networks – supporting climate resilience, green infrastructure and smarter urban design.


	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
Basic Components					
	AquaCell 85 Without Capillarity - 85mm deep roof drainage layer		85AQ100	1	POA
	AquaCell 85 With Capillarity - Includes integrated capillary strips		85AQ150	1	POA
	AquaCell 160 Half Without Capillarity - 160mm deep roof drainage layer - Supplied in two parts - Supplied with four connection plugs		160AC100	1	POA
	AquaCell 160 Half With Capillarity - 160mm deep roof drainage layer - Supplied in two parts - Supplied with four connection plugs - Includes integrated capillary strips		160AC150	1	POA
	Spare AquaCell 160 Connection Plug - for connecting adjacent panels of AquaCell 160		160AC151	1	POA
	AquaCell 160 Connector Tool - for easy installation of connection plugs		4084010	1	POA
	AquaCell Hex Socket Insert M10x25		4083405	1	POA
	PolderFleece NW P500 UV W=2 L=40 - Protection Fleece		4083624	1	POA
	PolderFleece NW C100 W=2.2 L=100 - Capillary Fleece		4083590	1	POA
	PolderControl PVC Inspection Chamber - 315mm diameter, 500mm tall - protect and access outlet		4084301	1	POA
	Alu Grating 315 - For use with 4084301		4002580	1	POA

Wavin PolderRoof

PolderRoof system

	Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
	PolderControl PVC Inspection Chamber - 400mm diameter, 500mm tall - protect and access outlet		4084649	1	POA
	Alu Grating 400 - for use with 4084649		4084567	1	POA
Passive Controls					
	PolderControl Mid Drain - Ø100 H=160	100	4084297	1	POA
	- Ø100 H=85	100	4084295	1	POA
	PolderControl Riser - 119x119 H=160		4084296	1	POA
	- 119x119 H=85		4084291	1	POA
	- 334x334 H=160		4084294	1	POA
	- 334x334 H=85		4084293	1	POA
	PolderControl Side Drain - Ø60x100 H=160		4084299	1	POA
	- Ø60x100 H=85		4084303	1	POA
	PolderControl Shaft Siphonic Drain - Ø260 H=160		4084292	1	POA
	- Ø260 H=85		4084302	1	POA
Smart Control					
	PolderValve Control Unit		4083182	1	POA
	PolderValve Base Unit - Mid Drain		3097222	1	POA
	PolderValve Bottom Unit - Side Drain		3097223	1	POA
	PolderRain Rainmeter		3095867	1	POA
	PolderRain Fixation kit		4084052	1	POA
	PolderRain Inox tube 1.5m		4083735	1	POA

Wavin Temporary Manhole Cover

Description	Nom dia mm	Cat no	Pack qty	Price £ per piece
 <p>Temporary Manhole Cover To fit 600 x 600mm and 675 x 675mm square openings</p>	600	TMC1	3	300.84

Numerical index

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
4D066	392.75	4	4D508	133.67	9	4D952SCR	1125.05	24
4D073	125.82	4	4D526	160.02	10	4D952SCR	1125.05	27
4D076	251.63	4	4D527	314.22	9	4D953	959.60	30
4D086	145.53	11	4D561	77.60	6	4D953	959.60	20
4D095	93.06	5	4D562	83.98	6	4D953	959.60	24
4D104	44.10	4	4D563	80.97	6	4D953	959.60	27
4D105	67.85	4	4D566	78.37	6	4D953SCR	1125.05	20
4D115	130.40	4	4D567	78.37	6	4D953SCR	1125.05	24
4D116	15.51	11	4D568	78.37	6	4D953SCR	1125.05	27
4D127	152.03	4	4D569	311.76	8	4D953SCR	1125.05	30
4D129	120.45	4	4D573	140.28	6	4D957	16.46	18
4D130	10.56	11	4D581	138.24	7	4D960	479.84	16
4D131	270.18	4	4D583	180.32	7	4D961	272.53	16
4D149	31.92	4	4D589	74.87	9	4D964	59.76	16
4D159	34.00	5	4D593	361.71	8	4D969	317.79	18
4D161	65.57	5	4D800	550.58	10	4D970	105.46	18
4D162	70.95	5	4D810	703.31	11	4D971	13.22	18
4D163	65.57	5	4D815	425.60	11	4D975	234.56	20
4D166	63.15	5	4D850	194.46	10	4D992	13.39	11
4D167	63.15	5	4D851	66.12	12	4D993	16.68	12
4D168	63.15	5	4D860	289.92	10	4D994	44.68	21
4D169	286.14	8	4D861	166.64	12	4D995	13.71	21
4D173	120.24	6	4D900	219.07	10	4D996	9.52	21
4D181	326.87	6	4D901	277.34	10	4D997	6.43	21
4D183	161.69	6	4D904	40.44	11	6D066	798.85	4
4D190	139.86	7	4D906	27.10	12	6D073	288.60	4
4D193	158.09	7	4D908	79.71	12	6D076	577.28	4
4D205	35.96	4	4D910	243.26	17	6D099	135.17	5
4D210	145.95	7	4D911	249.00	17	6D099*	135.17	42
4D213	164.17	7	4D912	249.00	17	6D104	80.93	4
4D281	159.98	6	4D913	249.00	17	6D105	164.74	4
4D283	137.05	6	4D914	249.00	17	6D116	13.39	11
4D290	123.84	8	4D915	215.57	10	6D127	330.36	4
4D291	36.95	9	4D916	41.02	10	6D129	291.42	4
4D292	72.79	8	4D916*	41.02	42	6D161	252.80	5
4D295	12.00	5	4D917	250.28	17	6D163	252.80	5
4D296	51.36	9	4D918	244.21	18	6D166	224.09	5
4D297	78.40	9	4D919	166.21	10	6D167	224.09	5
4D298	36.02	5	4D920	473.42	20	6D190	456.56	7
4D299	41.50	5	4D921	587.94	8	6D193	504.51	7
4D314	29.96	16	4D922	692.96	19	6D198	351.91	7
4D318	9.31	11	4D923	879.39	22	6D199	388.87	7
4D318	9.31	16	4D924	398.01	21	6D205	82.35	4
4D325	272.53	16	4D926	38.22	21	6D210	417.20	7
4D328	97.88	16	4D927	264.49	21	6D213	461.04	7
4D360	239.67	8	4D933	252.95	18	6D218	359.33	7
4D361	356.93	8	4D934	252.95	18	6D219	397.08	8
4D391	64.25	11	4D935	350.11	18	6D281	594.16	6
4D395	185.35	11	4D937	201.17	18	6D283	365.38	6
4D464	108.67	5	4D942	639.47	20	6D290	217.66	8
4D494	56.67	12	4D948	338.31	21	6D292	166.52	8
4D500	99.46	9	4D949	338.31	21	6D296	110.12	9
4D503	74.58	9	4D952	959.60	27	6D360	327.27	8
4D505	44.32	12	4D952	959.60	24	6D561	279.33	6
4D506	21.82	12	4D952	959.60	20	6D563	279.33	6
4D507	109.25	9	4D952SCR	1125.05	20	6D566	247.56	6

Numerical index

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
6D567	247.56	6	6UR117	14.21	15	9UR566	536.49	14
6D917	193.97	24	6UR129	237.58	13	9UR567	523.11	14
6D921	709.18	8	6UR141	36.83	13	9UR869	277.89	13
6D928	759.01	19	6UR141*	36.83	42	12TW076	569.64	33
6D929	822.77	19	6UR142	229.11	13	12TW093S	242.83	34
6D930	338.15	23	6UR143	200.50	13	12TW145	293.47	34
6D934	1052.95	23	6UR163	144.67	14	12TW176	616.65	33
6D936	878.58	22	6UR193	291.16	14	12TW193	1771.47	36
6D937	878.59	23	6UR199	276.60	14	12TW205	53.50	34
6D938	1835.60	23	6UR205	90.05	13	12TW213	1993.50	35
6D940	353.07	23	6UR213	291.16	14	12TW217	31.56	37
6LB025	204.89	41	6UR219	247.88	14	12TW237	681.56	36
6LB102	3.12	42	6UR290	162.32	15	12TW240	1216.03	36
6LB104	208.62	42	6UR292	128.59	15	12TW276	616.65	33
6LB105	4.15	42	6UR296	47.84	15	12TW561	598.14	35
6LB106	338.54	42	6UR395	222.52	15	12TW563	598.14	35
6LB150	328.96	41	6UR560	280.52	14	12TW566	598.14	35
6LB202	6.47	42	6UR561	161.95	14	12TW567	598.14	35
6LB250	376.11	41	6UR563	120.43	14	12TW750	129.40	37
6LB300	420.69	41	6UR566	120.43	14	12UR043	634.23	13
6LB301	233.62	41	6UR567	120.43	14	12UR073	600.20	13
6LB302	250.46	41	6UR600	456.20	15	12UR093	398.91	14
6LB600	1770.71	41	6UR869	121.61	13	12UR105	450.03	13
6LB622	1770.71	41	6UR928*	799.69	19	12UR117	58.20	15
6LB630	1770.71	41	6UR929*	959.56	19	12UR205	394.85	13
6SC200	119.00	44	6UR936*	961.85	22	12UR213	2333.70	14
6SC205	554.25	44	6UR937*	894.61	23	12UR236	1562.40	14
6SC500	2584.64	44	9TW076	366.22	33	12UR237	1442.18	15
6SC501	2831.58	44	9TW095S	162.64	34	12UR240	2221.49	15
6TW076	142.95	33	9TW145	210.19	34	12UR296	313.16	15
6TW097	117.26	34	9TW176	385.82	33	12UR561	1071.71	14
6TW099S	124.81	34	9TW193	657.37	36	12UR563	919.82	14
6TW129	217.79	34	9TW205	32.50	34	12UR566	892.83	14
6TW141	60.26	34	9TW213	697.89	35	12UR567	850.09	14
6TW141*	60.26	42	9TW217	17.11	37	12UR869	471.11	13
6TW142	60.26	34	9TW227	458.69	36	3ONE002	270.81	25
6TW145	80.99	34	9TW276	385.85	33	3ONE015	359.94	25
6TW176	151.36	33	9TW561	348.94	35	3ONE200	25.81	25
6TW193	197.49	36	9TW563	348.94	35	3ONE203	211.01	25
6TW205	18.34	34	9TW566	348.94	35	3ONE205	8.38	25
6TW213	179.05	35	9TW567	348.94	35	34NE303	437.87	25
6TW217	7.10	37	9TW750	105.05	37	4ONE300	529.07	26
6TW276	151.31	33	9UR043	422.97	13	4ONE930	283.24	26
6TW561	108.43	35	9UR046	845.94	13	44NE306	620.94	26
6TW563	108.43	35	9UR073	388.17	13	46NE309	640.48	26
6TW566	108.43	35	9UR095	118.43	13	6ONE003	965.79	29
6TW567	108.43	35	9UR105	225.71	13	6ONE930	243.69	30
6TW650	228.35	37	9UR117	31.11	15	66NE300	1700.52	28
6TW651	206.48	37	9UR205	195.97	13	66NE314	1970.45	28
6TW750	55.55	37	9UR213	1010.02	14	66NE315	1970.45	29
6UR043	163.36	13	9UR224	705.56	14	66NE316	1970.45	29
6UR046	326.74	13	9UR226	726.86	14	69NE300	2093.40	28
6UR073	133.52	13	9UR227	726.86	15	69NE314	2479.02	28
6UR099	70.71	13	9UR296	235.00	15	69NE315	2479.02	29
6UR099*	70.71	42	9UR561	680.38	14	69NE316	2479.02	29
6UR105	96.03	13	9UR563	506.51	14	80D025	173.36	38

Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no	Cat no	Price £ per piece	Page no
85AQ100	POA	46	450TW566	1511.10	35	3095867	POA	47
85AQ150	POA	46	450TW567	1511.10	35	3097209	POA	45
100D025	282.46	38	450TW750	218.81	37	3097222	POA	47
100D050	533.70	38	500TW046	2265.63	33	3097223	POA	47
100D215	19.79	38	500TW056	2376.13	33	3097253	POA	45
100OC410	94.57	32	500TW066	2376.13	33	4002580	POA	46
100OC460	12.83	32	500TW076	2007.48	33	4021867	POA	45
100OC461	440.81	32	500TW086	2208.13	33	4063904	POA	45
100OC510	150.18	32	500TW096	2208.13	33	4063905	POA	45
100OC520	42.49	32	500TW099	1292.08	35	4063956	POA	45
100OC530	18.67	32	500TW117	132.61	37	4063957	POA	45
100OC560	29.07	32	500TW117'	132.61	23	4081432	POA	45
160AC100	POA	46	500TW150x45	1424.11	36	4083182	POA	47
160AC150	POA	46	500TW150x90	1460.61	37	4083405	POA	46
160AC151	POA	46	500TW205	309.55	34	4083590	POA	46
375TW046	1373.49	33	500TW225x45	2136.15	36	4083624	POA	46
375TW056	1554.79	33	500TW300x45	2333.94	36	4083735	POA	47
375TW066	1554.79	33	500TW375x45	5300.70	36	4084010	POA	46
375TW076	1308.45	33	500TW450x45	5300.70	36	4084052	POA	47
375TW086	1490.20	33	500TW500x45	5379.86	35	4084291	POA	47
375TW096	1490.20	33	500TW500x90	5379.86	36	4084292	POA	47
375TW099	628.08	34	500TW561	2072.88	35	4084293	POA	47
375TW117	69.63	37	500TW563	2072.88	35	4084294	POA	47
375TW150x45	976.36	36	500TW566	2072.88	35	4084295	POA	47
375TW150x90	1079.62	37	500TW567	2072.88	35	4084296	POA	47
375TW205	162.02	34	500TW750	275.69	37	4084297	POA	47
375TW225x45	1463.69	36	600TW046	2927.98	33	4084299	POA	47
375TW225x90	1463.69	37	600TW056	3126.30	33	4084301	POA	46
375TW300x45	2357.66	36	600TW066	3126.30	33	4084302	POA	47
375TW375x45	3235.18	35	600TW076	2585.93	33	4084303	POA	47
375TW375x90	2925.73	36	600TW086	2914.67	33	4084567	POA	47
375TW561	1265.87	35	600TW096	2914.67	33	4084649	POA	47
375TW563	1265.87	35	600TW099	1314.60	35	4084907	POA	45
375TW566	1265.87	35	600TW117	192.82	37	4085169	POA	45
375TW567	1265.87	35	600TW117'	192.82	30	4085170	POA	45
375TW750	158.31	37	600TW150x45	1533.78	36	4085231	POA	45
450TW046	1921.78	33	600TW150x90	1696.01	37	ANG-BP	POA	43
450TW056	1998.02	33	600TW205	408.24	34	ANG-IU	POA	43
450TW066	1998.02	33	600TW225x45	2449.53	37	ANG-PC	POA	43
450TW076	1759.58	33	600TW300x45	5854.47	37	ANG-SP	POA	43
450TW086	1835.33	33	600TW375x45	5854.47	37	ANG-TA	POA	43
450TW096	1835.33	33	600TW450x45	5854.47	37	NE950	85.17	31
450TW099	949.43	35	600TW500x45	5854.47	37	NE960	130.08	31
450TW117	78.77	37	600TW561	2389.32	35	TMC1	300.84	48
450TW117'	78.77	27	600TW563	2389.32	35			
450TW150x45	1059.03	36	600TW566	2389.32	35			
450TW150x90	1171.02	37	600TW567	2389.32	35			
450TW205	200.36	34	600TW600x45	5854.47	35			
450TW225x45	1898.72	36	600TW600x90	5854.49	36			
450TW225x90	1898.72	37	600TW750	319.37	37			
450TW300x45	2057.07	36	612NE300	2809.47	28			
450TW375x45	3797.56	36	612NE314	2809.47	28			
450TW450x45	3797.56	35	612NE315	2809.47	29			
450TW450x90	3797.56	36	612NE316	2809.47	29			
450TW561	1511.10	35	3094654	POA	45			
450TW563	1511.10	35	3094655	POA	45			

Important notes

All purchases are subject to our standard terms and conditions of sale, available at www.wavin.co.uk/general-conditions or call for a copy.

Prices are subject to VAT at the current rate.

Wavin operates a programme of continuous product development, and therefore reserves the right to modify or amend the specification of their products without notice. All information in this publication is given in good faith, and believed to be correct at the time of going to press. However, no responsibility can be accepted for any errors, omissions or incorrect assumptions. Users should satisfy themselves that products are suitable for the purpose and application intended.

Quality assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001:2015.

Orders and enquiries

Tel: 0800 038 0088

For further information on our product ranges, see the following:

Wavin website

www.wavin.co.uk is the place to find overview of our ranges, individual item information (such as photo, dimensions, etc), literature via our download centre, news and events, blogs, online calculation tools, links to 'How to Videos' and more.

Download centre on [wavin.co.uk](http://www.wavin.co.uk)

Visit our website download centre for electronic copies of:

- Product, Design and Installation Guides
- Price list
- Safety sheets
- Quality certificates
- CAD files, etc.

'How to' Videos

To support the Osma and Wavin brands, there are a series of 'How to' videos to show how you can make light work of installation problems. They can be viewed at youtube.com/WavinUK



Wavin Knowledge Centre

Keep ahead of breaking news with a fresh and insightful look into the construction industry. Our aim is to keep you informed and up to date with the latest how-to guides, regulations, innovation and more. Visit blog.wavin.co.uk

Technical Tools

Register on myportal.wavin.co.uk for access to great tools to help you get the job done faster and with assured accuracy. Includes AquaCell Configurator, a Pipe Deformation tool and Inspection Chamber Selector.

X account

Join the conversation:



Contact

Orders and enquiries:

0800 038 0088

Complex technical queries:

technical.design@wavin.co.uk

General enquires:

info@wavin.co.uk

The ultimate attenuation unit

StormForce™ + AquaCell™



StormForce from Wavin provides the next level of stormwater management design, supply and installation, delivered by trained experts in soakaway and attenuation tank planning and construction.

Armed with the next generation of AquaCell geocellular units, the result is faster builds, reduced risk, greater sustainability, total compliance and warranted performance.

- **3 x faster installation with tool-free, push-fit connections**
- **New nested design means 4 x fewer deliveries and 4 x less storage space on site**
- **Made from 100% recycled plastic**



Team up now

Wavin Limited
Registered Office
Edlington Lane
Doncaster | DN12 1BY
Tel. 0800 038 0088
www.wavin.co.uk | info@wavin.co.uk

wavin
An Orbia business.

April 2026