


Wavin AJ

Preferred by **one** and all

Ireland's **No.1** choice
of Access Junction.



Get the only
one you need



wavin

An Orbia business.



No.1 choice of professionals for 45 years



Independently tested and certified to EN 13598-1



10 flow profiles to match every application



Assured 'Wafix' triple seal with high angle of deflection



Level invert inlets for maximum flow and less risk of blockages



Push-fit sealed riser with choice of covers



Fast and easy to install with adjustable frame and cover



Durable thick-walled PVC system for ultimate performance



Part of complete Wavin Sewer system



Available nationwide

No.1 whichever way you look at it

As with all things of lasting quality, it's the little things that add up to make Wavin's Access Junction the **No.1 choice of Ireland's groundworkers for over 45 years.**

The fast, easy installation. A range of profiles and matching invert levels for inlets and outlets to minimise the risk of blockages and make rodding easier.

The unique Wafix seals – a triple layer captive seal so that you know when a pipe is in, it's in. No bother, no doubts, no leaks, no future problems. It's made to work and made to last.

There's the socket profile that allows a high angle of deflection, so you have more connection flexibility. Plus the adjustable frame and cover, which tilts and rotates to suit site conditions.

Even little extras like directional flow arrows, to reduce the risk of installation errors, and third-party certification mark out the WAJ as superior.

Kitemarked, compliant with EN 13598-1 and Building Regulations – Part H – to a maximum depth of 0.6m, Wavin's Access Junction is tested, trusted, proven and better at every turn. Fit the best – forget the rest.



Scan the QR code to see the case studies



BUILT INTO IRELAND
Since 1958



“ The reason we use Wavin is the system comes as a whole, and we have peace of mind that once the system goes in the ground it's going to work. Here at Magna Construction we do it once, we do it right. ”

Thomas Norris
Magna Construction



WAJ 110mm (4in)

Manufactured and independently certified to EN13598-1

	Product Code	Size / Description	Pack Qty	Pallet Qty
	D4150	WAJ 1 110mm (4in) Straight through – supplied with adjustable top/ frame	2	24
	D4151	WAJ 2 110mm (4in) Left or right hand 90° bend – supplied with adjustable top/ frame	2	24
	D4152	WAJ 3 110mm (4in) Left hand 90° junction – supplied with adjustable top/ frame	2	24
	D4153	WAJ 4 110mm (4in) Left hand 45° junction – supplied with adjustable top/ frame	2	24
	D4101	WAJ 5 110mm (4in) Left or right hand 45° junction – supplied with adjustable top/ frame	2	24
	D4154	WAJ 7 110mm (4in) Right hand 90° and 45° junction – supplied with adjustable top/ frame	2	24
	D4156	WAJ 12 110mm (4in) Right hand 45° junction – supplied with adjustable top/ frame	2	24

	Product Code	Size / Description	Pack Qty	Pallet Qty
	D4157	WAJ 13 110mm (4in) Right hand 90° junction – supplied with adjustable top/ frame	2	24
	D4158	WAJ 16 110mm (4in) Left hand 90° and 45° junction – supplied with adjustable top/ frame	2	24
	D4159	WAJ 18 110mm (4in) Two 90° inlet junction – supplied with adjustable top/ frame	2	24

WAJ Riser, Cover and Frame

	Product Code	Size / Description	Pack Qty	Pallet Qty
	D4183	WAJ Riser 315mm diameter x 150mm high	3	60
	D4493	WAJ Cover and Frame – A.15 loading 315 x 315mm WAJ Adjustable top/frame	1	–
	D4492	315 x 315mm WAJ Cover and frame (comprised of the D4490 cover and D4491 frame)	10	240
	D4490	315 x 315mm Cover A.15 Loading	10	240
	D4491	315 x 315mm Frame	1	–