Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.80

Product:	3000679 - PVC Pipe GY BENOR 200x3.9 SN2 L=5 SC/CH
Unit:	1 piece
Manufacturer:	Wavin - NL - Hardenberg - Verified
Address:	J.C. Kellerlaan 3 7772 SG Hardenberg Netherlands

Wavin carries a complete PVC range of outdoor sewers. With PVC as a material, a smooth-walled, flexible and completely watertight piping system is obtained. Moreover, PVC is absolutely resistant to all substances that occur in domestic waste water. By working with a light material, large pipe lengths and plug connections, a very fast installation is guaranteed.

LCA standard:	NMD Bepalingsmethode 1.1 (2022)
Standard database:	Worldwide - Ecoinvent v 3.6 Cut-Off
Externally verified:	Yes
Issue date:	08-06-2023
End of validity:	08-06-2028
Verifier:	Martijn van Hövell - SGS Search

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - NL - Hardenberg - Verified (2020). (☑ = module declared, MND = module not declared).

A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
☑	☑	☑	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	☑	☑	☑	☑

Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

Construction process stage

A4 Transport gate to site
A5 Assembly / Construction installation process

Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment
B6 Operational energy use B7 Operational water use

End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing
C4 Disposal

Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

Environmental impacts and parameters

ECI = Environmental Costs Indicator [euro]; **ADPE** = Abiotic depletion potential for non-fossil resources [kg Sb-eq]; **ADPF** = Abiotic depletion potential for fossil resources [kg Sb-eq]; **GWP** = Global warming potential [kg CO2-eq]; **ODP** = Depletion potential of the stratospheric ozone layer [kg CFC-11-eq]; **POCP** = Formation potential of tropospheric ozone photochemical oxidants [kg ethene-eq]; **AP** = Acidification potential of land and water [kg SO2-eq]; **EP** = Eutrophication potential [kg PO4 3−-eq]; **HTP** = Human toxicity potential [kg 1,4-DB-eq]; **FAETP** = Freshwater aquatic ecotoxicity potential [kg 1,4-DB-eq]; **MAETP** = Marine aquatic ecotoxicity potential [kg 1,4-DB-eq]; **TETP** = Terrestrial ecotoxicity potential [kg 1,4-DB-eq]; **GWP-total** = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - NL - Hardenberg - Verified. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - NL - Hardenberg - Verified.

Results

Environmental impact SBK set 1	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
ECI	euro	3.73	0.1	0.17	4	0.06	1.35	0.01	-1.87	3.54
ADPE	kg Sb-eq	1.00E-3	2.08E-5	3.06E-5	1.06E-3	1.31E-5	1.10E-4	1.37E-7	-3.95E-4	7.83E-4
ADPF	kg Sb-eq	4.17E-1	5.97E-3	8.21E-3	4.31E-1	3.68E-3	3.86E-2	1.94E-4	-2.21E-1	2.52E-1
GWP	kg CO2-eq	3.36E+1	8.12E-1	1.46E+0	3.59E+1	5.01E-1	1.30E+1	1.23E-1	-1.86E+1	3.08E+1
ODP	kg CFC-11-eq	1.97E-5	1.44E-7	1.37E-7	1.99E-5	9.30E-8	1.56E-6	4.64E-9	-9.75E-6	1.19E-5
POCP	kg ethene-eq	2.06E-2	4.90E-4	6.43E-4	2.18E-2	3.01E-4	3.02E-3	3.26E-5	-9.49E-3	1.56E-2
AP	kg SO2-eq	1.30E-1	3.57E-3	5.72E-3	1.39E-1	2.16E-3	2.21E-2	1.03E-4	-6.08E-2	1.03E-1
EP	kg PO4 3−-eq	1.55E-2	7.02E-4	9.04E-4	1.71E-2	4.31E-4	3.35E-3	4.00E-5	-7.33E-3	1.36E-2
HTP	kg 1,4-DB-eq	1.32E+1	3.42E-1	5.51E-1	1.41E+1	2.14E-1	5.95E+0	1.06E-2	-5.91E+0	1.44E+1
FAETP	kg 1,4-DB-eq	2.85E-1	9.98E-3	2.24E-2	3.17E-1	6.28E-3	8.76E-2	3.13E-3	-1.29E-1	2.85E-1
MAETP	kg 1,4-DB-eq	8.32E+2	3.59E+1	9.15E+1	9.59E+2	2.24E+1	2.90E+2	3.84E+0	-3.81E+2	8.94E+2
TETP	kg 1,4-DB-eq	9.10E-2	1.21E-3	3.42E-2	1.26E-1	7.60E-4	2.12E-2	3.52E-5	-4.31E-2	1.05E-1
Environmental impact	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
GWP-total	kg CO2 eq	3.33E+1	8.20E-1	1.72E+0	3.58E+1	5.06E-1	1.45E+1	1.43E-1	-1.92E+1	3.18E+1
GWP-f	kg CO2 eq	3.44E+1	8.19E-1	1.35E+0	3.66E+1	5.05E-1	1.31E+1	1.43E-1	-1.91E+1	3.12E+1
GWP-b	kg CO2 eq	-1.17E+0	3.78E-4	2.91E-1	-8.78E-1	3.07E-4	1.43E+0	1.84E-4	-1.34E-1	4.22E-1
GWP-luluc	kg CO2 eq	2.75E-2	3.00E-4	8.20E-2	1.10E-1	1.79E-4	5.98E-3	3.87E-6	-1.27E-2	1.03E-1
ODP	kg CFC11 eq	1.94E-5	1.81E-7	1.63E-7	1.97E-5	1.16E-7	1.61E-6	5.77E-9	-9.65E-6	1.18E-5
AP	mol H+ eq	1.56E-1	4.75E-3	7.34E-3	1.68E-1	2.88E-3	2.77E-2	1.38E-4	-7.33E-2	1.26E-1
EP-fw	kg P eq	1.52E-3	8.26E-6	1.92E-5	1.55E-3	4.16E-6	1.99E-4	1.75E-7	-7.11E-4	1.04E-3
EP-m	kg N eq	2.63E-2	1.67E-3	2.16E-3	3.01E-2	1.03E-3	6.75E-3	8.47E-5	-1.27E-2	2.52E-2
EP-T	mol N eq	2.84E-1	1.85E-2	2.32E-2	3.26E-1	1.14E-2	7.44E-2	5.53E-4	-1.37E-1	2.76E-1
POCP	kg NMVOC eq	9.84E-2	5.27E-3	6.55E-3	1.10E-1	3.25E-3	2.23E-2	1.88E-4	-4.69E-2	8.91E-2
ADP-mm	kg Sb eq	1.00E-3	2.08E-5	3.06E-5	1.06E-3	1.31E-5	1.10E-4	1.37E-7	-3.95E-4	7.83E-4
ADP-f	MJ	8.86E+2	1.24E+1	1.56E+1	9.14E+2	7.76E+0	7.64E+1	4.18E-1	-4.64E+2	5.34E+2
WDP	m3 depriv.	5.80E+1	4.42E-2	1.05E+1	6.86E+1	2.38E-2	2.97E+0	2.41E-3	-2.77E+1	4.39E+1
PM	disease inc.	1.10E-6	7.36E-8	1.14E-7	1.29E-6	4.56E-8	3.48E-7	2.87E-9	-4.72E-7	1.21E-6
IR	kBq U-235 eq	1.88E+0	5.18E-2	2.81E-2	1.96E+0	3.39E-2	2.67E-1	1.92E-3	-8.96E-1	1.37E+0
ETP-fw	CTUe	5.95E+2	1.10E+1	2.60E+1	6.32E+2	6.30E+0	5.71E+2	6.29E+0	-2.74E+2	9.41E+2
HTP-c	CTUh	2.35E-8	3.57E-10	8.86E-10	2.48E-8	2.24E-10	8.35E-9	1.09E-11	-1.02E-8	2.31E-8
HTP-nc	CTUh	7.48E-7	1.20E-8	2.71E-8	7.87E-7	7.51E-9	2.01E-7	1.21E-9	-3.54E-7	6.43E-7
SQP	Pt	2.40E+2	1.07E+1	1.17E+0	2.52E+2	6.64E+0	4.77E+1	1.06E+0	-7.75E+1	2.30E+2

Resource use	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
PERE	MJ	6.22E+1	1.55E-1	4.70E+1	1.09E+2	1.11E-1	5.47E+0	1.51E-2	-2.58E+1	8.91E+1
PERM	MJ	0	0	0	0	0	0	0	0	0
PERT	MJ	6.22E+1	1.55E-1	4.70E+1	1.09E+2	1.11E-1	5.47E+0	1.51E-2	-2.58E+1	8.91E+1
PENRE	MJ	9.50E+2	1.31E+1	1.69E+1	9.80E+2	8.24E+0	8.13E+1	4.44E-1	-5.00E+2	5.70E+2
PENRM	MJ	0	0	0	0	0	0	0	0	0
PENRT	MJ	9.50E+2	1.31E+1	1.69E+1	9.80E+2	8.24E+0	8.13E+1	4.44E-1	-5.00E+2	5.70E+2
PET	MJ	1.01E+3	1.33E+1	6.39E+1	1.09E+3	8.35E+0	8.67E+1	4.59E-1	-5.26E+2	6.59E+2
SM	kg	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0
FW	m3	6.21E-1	1.50E-3	2.48E-1	8.70E-1	8.78E-4	8.14E-2	5.12E-4	-2.90E-1	6.64E-1
Output flows and waste categories	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
HWD	kg	7.03E-4	3.13E-5	2.18E-5	7.56E-4	1.98E-5	1.23E-4	5.05E-7	-3.86E-4	5.13E-4
NHWD	kg	3.34E+0	7.84E-1	3.15E-2	4.16E+0	4.81E-1	2.83E+0	1.92E+0	-1.49E+0	7.91E+0
RWD	kg	1.66E-3	8.11E-5	3.92E-5	1.78E-3	5.28E-5	2.86E-4	2.73E-6	-7.90E-4	1.33E-3
CRU	kg	0	0	0	0	0	0	0	0	0
MFR	kg	0	0	0	0	0	0	0	0	0
MER	kg	0	0	0	0	0	0	0	0	0
EE	MJ	0	0	0	0	0	0	0	0	0
EET	MJ	0	0	0	0	0	0	0	0	0
EEE	MJ	0	0	0	0	0	0	0	0	0

Ecochain

Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
https://www.ecochain.com
+31 20 3035 777