

# Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.64



Product: 4021910 - KG2000 Reducer DN200xDN150  
Unit: 1 piece  
Manufacturer: Wavin Germany Twist  
Address: Industriestraße 20  
49767 Twist  
Germany  
Contact: <https://www.wavin.com/en-en>

LCA standard: EN15804+A2 (2019)  
Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off  
Externally verified: Yes  
Issue date: 08-04-2022  
End of validity: 08-04-2027  
Verifier: Harry van Ewijk - SGS Search



The KG 2000 is a solid wall waste water system made of polypropylene (PP-MD) in accordance with DIN EN 14758. The material used, mineralized polypropylene (PP-MD), has high rigidity and optimum impact strength even at low temperatures.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin Germany Twist (2020). (☑ = module declared, MND = module not declared).

| A1 | A2 | A3 | A4  | A5  | B1  | B2  | B3  | B4  | B5  | B6  | B7  | C1  | C2 | C3 | C4 | D |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|
| ☑  | ☑  | ☑  | MND | MND | MND | MND | MND | MND | MND | MND | MND | MND | ☑  | ☑  | ☑  | ☑ |

| Product stage                                                                | Use stage                                                                                                             | End-of-Life stage                                                             |
|------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|
| A1 Raw material supply A2 Transport A3 Manufacturing                         | B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment<br>B6 Operational energy use B7 Operational water use | C1 De-construction demolition C2 Transport C3 Waste processing<br>C4 Disposal |
| Construction process stage                                                   |                                                                                                                       | Benefits and loads beyond the system boundaries                               |
| A4 Transport gate to site<br>A5 Assembly / Construction installation process |                                                                                                                       | D Reuse- Recovery- Recycling- potential                                       |

### Environmental impacts and parameters

**GWP-total** = EF Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

### Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin Germany Twist. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin Germany Twist.

# Results

| Environmental impact | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
|----------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| GWP-total            | kg CO2 eq    | 1.70E+0  | 1.37E-1  | 1.01E-1  | 1.94E+0  | 3.22E-2  | 9.40E-1  | 1.00E-2  | -9.66E-1  | 1.95E+0  |
| GWP-f                | kg CO2 eq    | 1.70E+0  | 1.37E-1  | 8.26E-2  | 1.92E+0  | 3.22E-2  | 9.41E-1  | 1.00E-2  | -9.63E-1  | 1.94E+0  |
| GWP-b                | kg CO2 eq    | 1.13E-3  | 6.31E-5  | 1.24E-2  | 1.36E-2  | 1.95E-5  | -1.01E-3 | 9.32E-6  | -2.94E-3  | 9.65E-3  |
| GWP-luluc            | kg CO2 eq    | 6.45E-4  | 5.01E-5  | 6.35E-3  | 7.04E-3  | 1.14E-5  | 1.75E-4  | 2.18E-7  | -1.82E-4  | 7.05E-3  |
| ODP                  | kg CFC11 eq  | 1.01E-7  | 3.02E-8  | 9.44E-9  | 1.41E-7  | 7.41E-9  | 2.34E-8  | 3.48E-10 | -4.47E-8  | 1.28E-7  |
| AP                   | mol H+ eq    | 6.95E-3  | 7.93E-4  | 3.98E-4  | 8.14E-3  | 1.83E-4  | 9.70E-4  | 8.00E-6  | -2.55E-3  | 6.75E-3  |
| EP-fw                | kg P eq      | 3.21E-5  | 1.38E-6  | 1.26E-6  | 3.47E-5  | 2.65E-7  | 5.07E-6  | 9.57E-9  | -1.02E-5  | 2.99E-5  |
| EP-m                 | kg N eq      | 1.12E-3  | 2.79E-4  | 1.04E-4  | 1.50E-3  | 6.56E-5  | 2.80E-4  | 5.60E-6  | -4.60E-4  | 1.39E-3  |
| EP-T                 | mol N eq     | 1.28E-2  | 3.08E-3  | 1.10E-3  | 1.70E-2  | 7.23E-4  | 3.08E-3  | 3.25E-5  | -5.11E-3  | 1.57E-2  |
| POCP                 | kg NMVOC eq  | 5.68E-3  | 8.79E-4  | 3.16E-4  | 6.87E-3  | 2.07E-4  | 9.70E-4  | 1.14E-5  | -2.30E-3  | 5.76E-3  |
| ADP-mm               | kg Sb eq     | 1.37E-4  | 3.46E-6  | 1.70E-6  | 1.42E-4  | 8.32E-7  | 3.83E-6  | 7.90E-9  | -9.39E-6  | 1.37E-4  |
| ADP-f                | MJ           | 5.67E+1  | 2.06E+0  | 1.04E+0  | 5.98E+1  | 4.94E-1  | 3.08E+0  | 2.48E-2  | -2.88E+1  | 3.46E+1  |
| WDP                  | m3 depriv.   | 1.19E+0  | 7.37E-3  | 6.18E-1  | 1.82E+0  | 1.52E-3  | 6.14E-2  | 1.38E-4  | -4.83E-1  | 1.40E+0  |
| PM                   | disease inc. | 6.58E-8  | 1.23E-8  | 5.39E-9  | 8.35E-8  | 2.90E-9  | 1.59E-8  | 1.68E-10 | -2.11E-8  | 8.14E-8  |
| IR                   | kBq U-235 eq | 5.28E-2  | 8.64E-3  | 1.39E-3  | 6.28E-2  | 2.16E-3  | 9.27E-3  | 1.13E-4  | -1.44E-2  | 5.99E-2  |
| ETP-fw               | CTUe         | 1.61E+1  | 1.84E+0  | 1.59E+0  | 1.96E+1  | 4.01E-1  | 3.85E+0  | 2.20E-2  | -4.19E+0  | 1.97E+1  |
| HTP-c                | CTUh         | 5.03E-10 | 5.96E-11 | 6.80E-11 | 6.30E-10 | 1.43E-11 | 3.95E-10 | 5.48E-13 | -1.55E-10 | 8.84E-10 |
| HTP-nc               | CTUh         | 1.36E-8  | 2.01E-9  | 1.67E-9  | 1.72E-8  | 4.78E-10 | 5.10E-9  | 1.27E-11 | -4.28E-9  | 1.85E-8  |
| SQP                  | Pt           | 3.60E+0  | 1.79E+0  | 1.01E-1  | 5.49E+0  | 4.23E-1  | 2.47E+0  | 6.11E-2  | -8.57E-1  | 7.58E+0  |
| Resource use         | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
| PERE                 | MJ           | 1.08E+0  | 2.58E-2  | 3.42E+0  | 4.53E+0  | 7.09E-3  | 1.50E-1  | 8.12E-4  | -3.63E-1  | 4.33E+0  |
| PERM                 | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| PERT                 | MJ           | 1.08E+0  | 2.58E-2  | 3.42E+0  | 4.53E+0  | 7.09E-3  | 1.50E-1  | 8.12E-4  | -3.63E-1  | 4.33E+0  |
| PENRE                | MJ           | 6.08E+1  | 2.19E+0  | 1.13E+0  | 6.41E+1  | 5.24E-1  | 3.28E+0  | 2.63E-2  | -3.11E+1  | 3.68E+1  |
| PENRM                | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| PENRT                | MJ           | 6.08E+1  | 2.19E+0  | 1.13E+0  | 6.41E+1  | 5.24E-1  | 3.28E+0  | 2.63E-2  | -3.11E+1  | 3.68E+1  |
| PET                  | MJ           | 6.19E+1  | 2.21E+0  | 4.56E+0  | 6.86E+1  | 5.31E-1  | 3.43E+0  | 2.72E-2  | -3.15E+1  | 4.12E+1  |
| SM                   | kg           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| RSF                  | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| NRSF                 | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| FW                   | m3           | 2.06E-2  | 2.51E-4  | 1.46E-2  | 3.54E-2  | 5.59E-5  | 2.04E-3  | 3.02E-5  | -7.46E-3  | 3.01E-2  |

| Output flows and waste categories | Unit | A1      | A2      | A3      | A1-A3   | C2      | C3      | C4      | D        | Total   |
|-----------------------------------|------|---------|---------|---------|---------|---------|---------|---------|----------|---------|
| HWD                               | kg   | 1.16E-5 | 5.22E-6 | 1.28E-6 | 1.81E-5 | 1.26E-6 | 5.14E-6 | 2.95E-8 | -8.42E-6 | 1.61E-5 |
| NHWD                              | kg   | 8.67E-2 | 1.31E-1 | 5.22E-3 | 2.23E-1 | 3.06E-2 | 1.55E-1 | 1.27E-1 | -2.22E-2 | 5.13E-1 |
| RWD                               | kg   | 5.81E-5 | 1.35E-5 | 1.83E-6 | 7.34E-5 | 3.36E-6 | 1.18E-5 | 1.64E-7 | -1.36E-5 | 7.51E-5 |
| CRU                               | kg   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| MFR                               | kg   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| MER                               | kg   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| EE                                | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| EET                               | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| EEE                               | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |



Ecochain Technologies BV  
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands  
<https://www.ecochain.com>  
+31 20 3035 777