

# Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v4.3.1



Product: 3094651 - Q-Bic Plus LC Conn. Plate BK 160-400+Pin  
 Unit: 1 piece  
 Manufacturer: Wavin - NL - Hardenberg - Verified  
 Address: J.C. Kellerlaan 3  
 7772 SG Hardenberg  
 Netherlands

LCA standard: NMD Bepalingsmethode 1.1 (2022)  
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off  
 Externally verified: Yes  
 Issue date: 18-03-2024  
 End of validity: 18-03-2029  
 Verifier: Martijn van Hövell - SGS Search



Wavin Q-Bic Plus LC is the innovative and sustainable solution for efficient, decentralized rainwater management. With the Q-Bic Plus LC precipitation peaks become manageable, and the risk of flooding is minimized, while it enables recharging of groundwater or harvesting of rainwater. Made from highly advanced material, based on 100% recycled polypropylene (PP), the system offers excellent and consistent material properties, ensuring a long lifespan.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - NL - Hardenberg - Verified (2020). (☑ = module declared, MND = module not declared).

| A1 | A2 | A3 | A4  | A5  | B1  | B2  | B3  | B4  | B5  | B6  | B7  | C1  | C2 | C3 | C4 | D |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|
| ☑  | ☑  | ☑  | MND | ☑  | ☑  | ☑  | ☑ |

## Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

## Construction process stage

A4 Transport gate to site  
 A5 Assembly / Construction installation process

## Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment  
 B6 Operational energy use B7 Operational water use

## End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing  
 C4 Disposal

## Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

## Environmental impacts and parameters

**ECI** = Environmental Costs Indicator [euro]; **ADPE** = Abiotic depletion potential for non-fossil resources [kg Sb-eq]; **ADPF** = Abiotic depletion potential for fossil resources [kg Sb-eq]; **GWP** = Global warming potential [kg CO2-eq]; **ODP** = Depletion potential of the stratospheric ozone layer [kg CFC-11-eq]; **POCP** = Formation potential of tropospheric ozone photochemical oxidants [kg ethene-eq]; **AP** = Acidification potential of land and water [kg SO2-eq]; **EP** = Eutrophication potential [kg PO4 3--eq]; **HTP** = Human toxicity potential [kg 1,4-DB-eq]; **FAETP** = Freshwater aquatic ecotoxicity potential [kg 1,4-DB-eq]; **MAETP** = Marine aquatic ecotoxicity potential [kg 1,4-DB-eq]; **TETP** = Terrestrial ecotoxicity potential [kg 1,4-DB-eq]; **GWP-total** = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

## Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - NL - Hardenberg - Verified. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - NL - Hardenberg - Verified.

# Results

| Environmental impact SBK set 1 | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
|--------------------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| ECI                            | euro         | 0.11     | 0        | 0.03     | 0.15     | 0.01     | 0.14     | 0        | 0.01      | 0.3      |
| ADPE                           | kg Sb-eq     | 1.59E-5  | 3.71E-7  | 7.42E-6  | 2.37E-5  | 1.42E-6  | 7.17E-6  | 1.49E-8  | 4.24E-6   | 3.65E-5  |
| ADPF                           | kg Sb-eq     | 5.46E-3  | 1.07E-4  | 1.27E-3  | 6.85E-3  | 4.01E-4  | 2.71E-3  | 2.11E-5  | 6.82E-3   | 1.68E-2  |
| GWP                            | kg CO2-eq    | 8.90E-1  | 1.45E-2  | 2.42E-1  | 1.15E+0  | 5.46E-2  | 1.50E+0  | 2.00E-2  | 3.08E-2   | 2.75E+0  |
| ODP                            | kg CFC-11-eq | 7.20E-8  | 2.58E-9  | 1.91E-8  | 9.37E-8  | 1.01E-8  | 3.66E-8  | 5.06E-10 | -6.50E-8  | 7.59E-8  |
| POCP                           | kg ethene-eq | 3.03E-4  | 8.77E-6  | 1.05E-4  | 4.17E-4  | 3.27E-5  | 2.73E-4  | 4.63E-6  | 4.21E-4   | 1.15E-3  |
| AP                             | kg SO2-eq    | 4.57E-3  | 6.39E-5  | 1.04E-3  | 5.67E-3  | 2.35E-4  | 1.38E-3  | 1.10E-5  | 9.28E-4   | 8.23E-3  |
| EP                             | kg PO4 3--eq | 8.40E-4  | 1.26E-5  | 1.34E-4  | 9.87E-4  | 4.69E-5  | 2.45E-4  | 4.69E-6  | -1.14E-4  | 1.17E-3  |
| HTP                            | kg 1,4-DB-eq | 4.02E-1  | 6.12E-3  | 1.12E-1  | 5.21E-1  | 2.33E-2  | 5.42E-1  | 1.61E-3  | -1.02E-3  | 1.09E+0  |
| FAETP                          | kg 1,4-DB-eq | 4.44E-2  | 1.79E-4  | 3.84E-3  | 4.84E-2  | 6.84E-4  | 1.12E-2  | 1.70E-3  | -4.95E-3  | 5.70E-2  |
| MAETP                          | kg 1,4-DB-eq | 3.60E+1  | 6.42E-1  | 1.51E+1  | 5.18E+1  | 2.44E+0  | 2.66E+1  | 1.70E+0  | 3.45E-1   | 8.29E+1  |
| TETP                           | kg 1,4-DB-eq | 1.11E-2  | 2.16E-5  | 8.35E-3  | 1.95E-2  | 8.27E-5  | 1.66E-3  | 2.62E-6  | -1.96E-3  | 1.93E-2  |
| Environmental impact           | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
| GWP-total                      | kg CO2 eq    | 7.70E-1  | 1.47E-2  | 2.77E-1  | 1.06E+0  | 5.51E-2  | 1.72E+0  | 2.34E-2  | 5.77E-2   | 2.92E+0  |
| GWP-f                          | kg CO2 eq    | 8.46E-1  | 1.47E-2  | 2.13E-1  | 1.07E+0  | 5.50E-2  | 1.51E+0  | 2.34E-2  | 5.63E-2   | 2.72E+0  |
| GWP-b                          | kg CO2 eq    | -8.11E-2 | 6.76E-6  | 4.39E-2  | -3.72E-2 | 3.34E-5  | 2.10E-1  | 2.06E-5  | 3.01E-3   | 1.76E-1  |
| GWP-luluc                      | kg CO2 eq    | 5.65E-3  | 5.37E-6  | 2.02E-2  | 2.58E-2  | 1.95E-5  | 3.15E-4  | 4.15E-7  | -1.45E-3  | 2.47E-2  |
| ODP                            | kg CFC11 eq  | 6.45E-8  | 3.23E-9  | 2.25E-8  | 9.02E-8  | 1.27E-8  | 4.34E-8  | 6.29E-10 | -7.27E-8  | 7.42E-8  |
| AP                             | mol H+ eq    | 5.62E-3  | 8.50E-5  | 1.30E-3  | 7.01E-3  | 3.13E-4  | 1.79E-3  | 1.48E-5  | 1.01E-3   | 1.01E-2  |
| EP-fw                          | kg P eq      | 9.22E-5  | 1.48E-7  | 3.72E-6  | 9.61E-5  | 4.53E-7  | 9.15E-6  | 1.89E-8  | -1.10E-5  | 9.47E-5  |
| EP-m                           | kg N eq      | 1.10E-3  | 2.99E-5  | 3.06E-4  | 1.44E-3  | 1.12E-4  | 5.26E-4  | 9.42E-6  | 3.61E-5   | 2.12E-3  |
| EP-T                           | mol N eq     | 1.08E-2  | 3.30E-4  | 3.38E-3  | 1.45E-2  | 1.24E-3  | 5.79E-3  | 6.03E-5  | 2.86E-4   | 2.19E-2  |
| POCP                           | kg NMVOC eq  | 2.41E-3  | 9.43E-5  | 9.61E-4  | 3.46E-3  | 3.53E-4  | 1.83E-3  | 2.23E-5  | 1.05E-3   | 6.71E-3  |
| ADP-mm                         | kg Sb eq     | 1.57E-5  | 3.71E-7  | 7.42E-6  | 2.35E-5  | 1.42E-6  | 7.17E-6  | 1.49E-8  | 4.25E-6   | 3.63E-5  |
| ADP-f                          | MJ           | 1.26E+1  | 2.21E-1  | 2.38E+0  | 1.52E+1  | 8.44E-1  | 5.57E+0  | 4.56E-2  | 1.52E+1   | 3.69E+1  |
| WDP                            | m3 depriv.   | 3.80E-1  | 7.90E-4  | 1.84E+0  | 2.22E+0  | 2.59E-3  | 1.06E-1  | 2.24E-4  | 1.40E-1   | 2.47E+0  |
| PM                             | disease inc. | 5.93E-8  | 1.32E-9  | 1.60E-8  | 7.66E-8  | 4.97E-9  | 2.95E-8  | 3.12E-10 | -1.15E-9  | 1.10E-7  |
| IR                             | kBq U-235 eq | 8.30E-2  | 9.26E-4  | 3.78E-3  | 8.77E-2  | 3.69E-3  | 1.71E-2  | 2.11E-4  | -4.64E-3  | 1.04E-1  |
| ETP-fw                         | CTUe         | 2.75E+1  | 1.97E-1  | 5.52E+0  | 3.32E+1  | 6.86E-1  | 6.44E+0  | 3.74E-2  | -1.51E+1  | 2.53E+1  |
| HTP-c                          | CTUh         | 4.74E-10 | 6.39E-12 | 1.91E-10 | 6.72E-10 | 2.44E-11 | 7.46E-10 | 1.08E-12 | -3.56E-11 | 1.41E-9  |
| HTP-nc                         | CTUh         | 1.31E-8  | 2.16E-10 | 5.97E-9  | 1.92E-8  | 8.17E-10 | 9.27E-9  | 2.39E-11 | -1.08E-9  | 2.83E-8  |
| SQP                            | Pt           | 1.59E+1  | 1.92E-1  | 1.78E-1  | 1.63E+1  | 7.22E-1  | 4.42E+0  | 1.16E-1  | -4.06E+1  | -1.91E+1 |

| Resource use                      | Unit | A1      | A2      | A3      | A1-A3   | C2      | C3      | C4      | D        | Total   |
|-----------------------------------|------|---------|---------|---------|---------|---------|---------|---------|----------|---------|
| PERE                              | MJ   | 4.57E+0 | 2.77E-3 | 1.16E+1 | 1.61E+1 | 1.21E-2 | 2.70E-1 | 1.70E-3 | -7.12E+0 | 9.30E+0 |
| PERM                              | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| PERT                              | MJ   | 4.57E+0 | 2.77E-3 | 1.16E+1 | 1.61E+1 | 1.21E-2 | 2.70E-1 | 1.70E-3 | -7.12E+0 | 9.30E+0 |
| PENRE                             | MJ   | 1.33E+1 | 2.35E-1 | 2.57E+0 | 1.61E+1 | 8.97E-1 | 5.94E+0 | 4.84E-2 | 1.61E+1  | 3.91E+1 |
| PENRM                             | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| PENRT                             | MJ   | 1.33E+1 | 2.35E-1 | 2.57E+0 | 1.61E+1 | 8.97E-1 | 5.94E+0 | 4.84E-2 | 1.61E+1  | 3.91E+1 |
| PET                               | MJ   | 1.79E+1 | 2.37E-1 | 1.41E+1 | 3.23E+1 | 9.09E-1 | 6.21E+0 | 5.01E-2 | 8.94E+0  | 4.84E+1 |
| SM                                | kg   | 1.86E+0 | 0       | 0       | 1.86E+0 | 0       | 0       | 0       | 0        | 1.86E+0 |
| RSF                               | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| NRSF                              | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| FW                                | m3   | 1.67E-2 | 2.69E-5 | 4.35E-2 | 6.02E-2 | 9.56E-5 | 3.15E-3 | 5.61E-5 | -1.79E-3 | 6.17E-2 |
| Output flows and waste categories | Unit | A1      | A2      | A3      | A1-A3   | C2      | C3      | C4      | D        | Total   |
| HWD                               | kg   | 1.43E-5 | 5.60E-7 | 2.52E-6 | 1.74E-5 | 2.16E-6 | 9.26E-6 | 5.47E-8 | -1.18E-5 | 1.71E-5 |
| NHWD                              | kg   | 1.24E-1 | 1.40E-2 | 3.90E-3 | 1.42E-1 | 5.23E-2 | 2.71E-1 | 2.09E-1 | -1.10E-3 | 6.74E-1 |
| RWD                               | kg   | 7.08E-5 | 1.45E-6 | 4.68E-6 | 7.70E-5 | 5.74E-6 | 2.18E-5 | 2.99E-7 | -6.65E-6 | 9.82E-5 |
| CRU                               | kg   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 0        | 0       |
| MFR                               | kg   | 0       | 0       | 0       | 0       | 0       | 1.62E+0 | 0       | 0        | 1.62E+0 |
| MER                               | kg   | 0       | 0       | 0       | 0       | 0       | 4.79E-1 | 0       | 0        | 4.79E-1 |
| EE                                | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 1.38E+1  | 1.38E+1 |
| EET                               | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 4.90E+0  | 4.90E+0 |
| EEE                               | MJ   | 0       | 0       | 0       | 0       | 0       | 0       | 0       | 1.98E+0  | 1.98E+0 |



Ecochain Technologies BV  
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands  
<https://www.ecochain.com>  
+31 20 3035 777