

Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.57



Product: 2001535 - Tegra 600 PP Bend 150° DN250 SW
Unit: 1 Piece
Manufacturer: Wavin Poland Buk
Address: Dobieżyńska 43
64-320 Buk
Poland
Contact: <https://www.wavin.com/en-en>

LCA standard: EN15804+A2 (2019)
Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off
Externally verified: Yes
Issue date: 19-09-2022
End of validity: 19-09-2027
Verifier: Martijn van Hövell - SGS Search



Wavin Tegra 600 PP can be used for municipal and industrial drainage system for inspection and cleaning. The system can be used for sewer- and rainwater transport and is DIBt approved according to DIBt Z-42.1-338. Tegra 600 PP can be installed in heavy traffic area according to LM1 (DIN EN 1991-2/NA) former SLW60. Is applicable in drinkingwater areas II and III (DWA-A 142).

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin Poland Buk (2020). (☑ = module declared, MND = module not declared).

A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
☑	☑	☑	MND	MND	MND	MND	MND	MND	MND	MND	MND	MND	☑	☑	☑	☑
Product stage					Use stage							End-of-Life stage				
A1 Raw material supply A2 Transport A3 Manufacturing					B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment B6 Operational energy use B7 Operational water use							C1 De-construction demolition C2 Transport C3 Waste processing C4 Disposal				
Construction process stage					Benefits and loads beyond the system boundaries											
A4 Transport gate to site					D Reuse- Recovery- Recycling- potential											
A5 Assembly / Construction installation process																

Results

Environmental impact	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
GWP-total	kg CO2 eq	3.588E+1	1.402E+0	1.832E+0	3.912E+1	7.045E-1	5.308E+1	3.427E-1	-3.598E+1	5.726E+1
GWP-f	kg CO2 eq	6.282E+1	1.401E+0	1.735E+0	6.596E+1	7.039E-1	2.602E+1	3.428E-1	-3.587E+1	5.716E+1
GWP-b	kg CO2 eq	-2.696E+1	6.466E-4	9.738E-2	-2.686E+1	4.274E-4	2.706E+1	3.015E-4	-1.088E-1	8.962E-2
GWP-luluc	kg CO2 eq	3.434E-2	5.132E-4	6.073E-4	3.546E-2	2.491E-4	3.898E-3	5.930E-6	-1.479E-2	2.482E-2
ODP	kg CFC11 eq	3.034E-6	3.091E-7	2.205E-7	3.563E-6	1.622E-7	5.334E-7	8.655E-9	-1.948E-6	2.320E-6
AP	mol H+ eq	2.536E-1	8.123E-3	6.805E-3	2.686E-1	4.010E-3	2.342E-2	2.072E-4	-1.092E-1	1.871E-1
EP-fw	kg P eq	1.204E-3	1.413E-5	3.311E-5	1.251E-3	5.792E-6	1.135E-4	2.715E-7	-4.716E-4	8.990E-4
EP-m	kg N eq	4.473E-2	2.862E-3	1.031E-3	4.862E-2	1.435E-3	7.119E-3	1.553E-4	-2.135E-2	3.598E-2
EP-T	mol N eq	5.121E-1	3.156E-2	1.132E-2	5.550E-1	1.581E-2	7.858E-2	8.397E-4	-2.474E-1	4.028E-1
POCP	kg NMVOC eq	2.204E-1	9.010E-3	3.798E-3	2.332E-1	4.520E-3	2.420E-2	3.143E-4	-1.011E-1	1.612E-1
ADP-mm	kg Sb eq	3.154E-3	3.549E-5	6.539E-5	3.255E-3	1.821E-5	8.588E-5	2.087E-7	-3.248E-4	3.034E-3
ADP-f	MJ	2.087E+3	2.112E+1	2.184E+1	2.130E+3	1.081E+1	6.884E+1	6.323E-1	-1.063E+3	1.147E+3
WDP	m3 depriv.	4.216E+1	7.556E-2	2.110E-1	4.244E+1	3.316E-2	1.384E+0	3.299E-3	-1.827E+1	2.559E+1
PM	disease inc.	3.053E-6	1.258E-7	5.032E-8	3.229E-6	6.354E-8	3.651E-7	4.345E-9	-1.100E-6	2.562E-6
IR	kBq U-235 eq	1.736E+0	8.850E-2	3.442E-2	1.859E+0	4.723E-2	2.098E-1	2.939E-3	-6.049E-1	1.514E+0
ETP-fw	CTUe	5.562E+2	1.884E+1	4.613E+1	6.211E+2	8.774E+0	8.624E+1	5.925E-1	-2.412E+2	4.756E+2
HTP-c	CTUh	2.761E-8	6.109E-10	2.297E-9	3.052E-8	3.122E-10	1.032E-8	1.565E-11	-1.130E-8	2.987E-8
HTP-nc	CTUh	5.450E-7	2.060E-8	5.522E-8	6.208E-7	1.046E-8	1.205E-7	3.567E-10	-2.232E-7	5.290E-7
SQP	Pt	2.471E+3	1.833E+1	8.975E+0	2.499E+3	9.244E+0	5.456E+1	1.621E+0	-1.233E+3	1.331E+3
Resource use	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
PERE	MJ	4.293E+2	2.644E-1	7.748E+1	5.071E+2	1.550E-1	3.368E+0	2.478E-2	-2.070E+2	3.037E+2
PERM	MJ	0	0	0	0	0	0	0	0	0
PERT	MJ	4.293E+2	2.644E-1	7.748E+1	5.071E+2	1.550E-1	3.368E+0	2.478E-2	-2.070E+2	3.037E+2
PENRE	MJ	2.238E+3	2.243E+1	2.371E+1	2.284E+3	1.147E+1	7.335E+1	6.709E-1	-1.147E+3	1.223E+3
PENRM	MJ	0	0	0	0	0	0	0	0	0
PENRT	MJ	2.238E+3	2.243E+1	2.371E+1	2.284E+3	1.147E+1	7.335E+1	6.709E-1	-1.147E+3	1.223E+3
PET	MJ	2.668E+3	2.269E+1	1.012E+2	2.791E+3	1.163E+1	7.672E+1	6.957E-1	-1.354E+3	1.527E+3
SM	kg	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0
FW	m ³	7.056E-1	2.573E-3	6.034E-3	7.142E-1	1.223E-3	4.784E-2	7.796E-4	-2.819E-1	4.822E-1

Output flows and waste categories	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
HWD	kg	5.163E-4	5.353E-5	2.658E-5	5.964E-4	2.763E-5	1.168E-4	7.625E-7	-3.688E-4	3.728E-4
NHWD	kg	3.894E+0	1.340E+0	6.909E-2	5.303E+0	6.697E-1	3.700E+0	2.783E+0	-1.447E+0	1.101E+1
RWD	kg	1.823E-3	1.387E-4	4.894E-5	2.011E-3	7.348E-5	2.666E-4	4.130E-6	-5.864E-4	1.769E-3
CRU	kg	0	0	0	0	0	0	0	0	0
MFR	kg	0	0	0	0	0	0	0	0	0
MER	kg	0	0	0	0	0	0	0	0	0
EE	MJ	0	0	0	0	0	0	0	0	0
EET	MJ	0	0	0	0	0	0	0	0	0
EEE	MJ	0	0	0	0	0	0	0	0	0



Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
<https://www.ecochain.com>
+31 20 3035 777