

Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.80



Product: 3081859 - EK PP-RCT Tee Reduced GY 63x32x63
 Unit: 1 piece
 Manufacturer: Wavin - CZ - Kostelec - Verified

LCA standard: NMD Bepalingsmethode 1.1 (2022)
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off
 Externally verified: Yes
 Issue date: 27-01-2023
 End of validity: 27-01-2028
 Verifier: Martijn van Hövell - SGS Search



Use the Ekoplastik System when you prefer an all plastic welded system or when you need pipes with larger diameters. The Ekoplastik system offers a maximum pipe diameter of 250 mm. Join pipes and fittings using a homogenous weld for secure and permanent connections.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard.

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - CZ - Kostelec - Verified (2020). (☑ = module declared, MND = module not declared).

| A1 | A2 | A3 | A4 | A5 | B1 | B2 | B3 | B4 | B5 | B6 | B7 | C1 | C2 | C3 | C4 | D |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|
| ☑ | ☑ | ☑ | MND | ☑ | ☑ | ☑ | ☑ |

Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

Construction process stage

A4 Transport gate to site
 A5 Assembly / Construction installation process

Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment
 B6 Operational energy use B7 Operational water use

End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing
 C4 Disposal

Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

Environmental impacts and parameters

ECI = Environmental Costs Indicator [euro]; **ADPE** = Abiotic depletion potential for non-fossil resources [kg Sb-eq]; **ADPF** = Abiotic depletion potential for fossil resources [kg Sb-eq]; **GWP** = Global warming potential [kg CO2-eq]; **ODP** = Depletion potential of the stratospheric ozone layer [kg CFC-11-eq]; **POCP** = Formation potential of tropospheric ozone photochemical oxidants [kg ethene-eq]; **AP** = Acidification potential of land and water [kg SO2-eq]; **EP** = Eutrophication potential [kg PO4 3--eq]; **HTP** = Human toxicity potential [kg 1,4-DB-eq]; **FAETP** = Freshwater aquatic ecotoxicity potential [kg 1,4-DB-eq]; **MAETP** = Marine aquatic ecotoxicity potential [kg 1,4-DB-eq]; **TETP** = Terrestrial ecotoxicity potential [kg 1,4-DB-eq]; **GWP-total** = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - CZ - Kostelec - Verified. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - CZ - Kostelec - Verified.

Results

| Environmental impact SBK set 1 | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
|--------------------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| ECI | euro | 0.03 | 0 | 0.01 | 0.04 | 0 | 0.01 | 0 | -0.02 | 0.04 |
| ADPE | kg Sb-eq | 6.53E-6 | 6.42E-7 | 2.59E-6 | 9.76E-6 | 1.33E-7 | 6.58E-7 | 1.48E-9 | -1.68E-6 | 8.87E-6 |
| ADPF | kg Sb-eq | 6.84E-3 | 1.81E-4 | 1.95E-4 | 7.22E-3 | 3.76E-5 | 2.51E-4 | 2.06E-6 | -3.75E-3 | 3.75E-3 |
| GWP | kg CO2-eq | 3.99E-1 | 2.46E-2 | 3.53E-2 | 4.58E-1 | 5.12E-3 | 1.59E-1 | 2.07E-3 | -2.43E-1 | 3.82E-1 |
| ODP | kg CFC-11-eq | 9.74E-9 | 4.57E-9 | 6.03E-8 | 7.46E-8 | 9.49E-10 | 3.36E-9 | 4.92E-11 | -9.84E-9 | 6.92E-8 |
| POCP | kg ethene-eq | 3.29E-4 | 1.48E-5 | 2.54E-5 | 3.69E-4 | 3.07E-6 | 2.53E-5 | 4.73E-7 | -1.61E-4 | 2.37E-4 |
| AP | kg SO2-eq | 1.27E-3 | 1.06E-4 | 2.42E-4 | 1.62E-3 | 2.20E-5 | 1.29E-4 | 1.09E-6 | -6.14E-4 | 1.15E-3 |
| EP | kg PO4 3--eq | 1.25E-4 | 2.12E-5 | 3.12E-5 | 1.77E-4 | 4.40E-6 | 2.29E-5 | 4.72E-7 | -6.59E-5 | 1.39E-4 |
| HTP | kg 1,4-DB-eq | 6.50E-2 | 1.05E-2 | 4.28E-2 | 1.18E-1 | 2.19E-3 | 5.09E-2 | 1.62E-4 | -3.15E-2 | 1.40E-1 |
| FAETP | kg 1,4-DB-eq | 1.98E-3 | 3.09E-4 | 1.55E-3 | 3.84E-3 | 6.41E-5 | 1.14E-3 | 1.75E-4 | -9.39E-4 | 4.28E-3 |
| MAETP | kg 1,4-DB-eq | 4.39E+0 | 1.10E+0 | 4.30E+0 | 9.80E+0 | 2.29E-1 | 2.62E+0 | 1.75E-1 | -1.93E+0 | 1.09E+1 |
| TETP | kg 1,4-DB-eq | 3.03E-4 | 3.73E-5 | 2.23E-3 | 2.57E-3 | 7.76E-6 | 1.56E-4 | 2.66E-7 | -2.42E-4 | 2.50E-3 |
| Environmental impact | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
| GWP-total | kg CO2 eq | 4.17E-1 | 2.49E-2 | 4.17E-2 | 4.84E-1 | 5.16E-3 | 1.66E-1 | 2.43E-3 | -2.38E-1 | 4.19E-1 |
| GWP-f | kg CO2 eq | 4.16E-1 | 2.48E-2 | 3.37E-2 | 4.74E-1 | 5.16E-3 | 1.60E-1 | 2.43E-3 | -2.52E-1 | 3.90E-1 |
| GWP-b | kg CO2 eq | 1.72E-3 | 1.51E-5 | 7.53E-3 | 9.27E-3 | 3.13E-6 | 5.94E-3 | 2.11E-6 | 1.32E-2 | 2.84E-2 |
| GWP-luluc | kg CO2 eq | 1.91E-4 | 8.79E-6 | 5.29E-4 | 7.29E-4 | 1.83E-6 | 2.94E-5 | 4.22E-8 | -1.45E-4 | 6.16E-4 |
| ODP | kg CFC11 eq | 9.47E-9 | 5.72E-9 | 3.37E-8 | 4.89E-8 | 1.19E-9 | 3.98E-9 | 6.10E-11 | -1.03E-8 | 4.37E-8 |
| AP | mol H+ eq | 1.54E-3 | 1.41E-4 | 3.06E-4 | 1.98E-3 | 2.94E-5 | 1.66E-4 | 1.46E-6 | -7.42E-4 | 1.44E-3 |
| EP-fw | kg P eq | 7.02E-6 | 2.04E-7 | 1.11E-6 | 8.34E-6 | 4.25E-8 | 8.52E-7 | 1.92E-9 | -3.86E-6 | 5.37E-6 |
| EP-m | kg N eq | 2.65E-4 | 5.06E-5 | 5.68E-5 | 3.73E-4 | 1.05E-5 | 4.91E-5 | 9.42E-7 | -1.35E-4 | 2.98E-4 |
| EP-T | mol N eq | 2.97E-3 | 5.58E-4 | 7.02E-4 | 4.23E-3 | 1.16E-4 | 5.40E-4 | 5.92E-6 | -1.50E-3 | 3.39E-3 |
| POCP | kg NMVOC eq | 1.30E-3 | 1.59E-4 | 1.63E-4 | 1.62E-3 | 3.31E-5 | 1.70E-4 | 2.22E-6 | -6.55E-4 | 1.17E-3 |
| ADP-mm | kg Sb eq | 6.52E-6 | 6.42E-7 | 2.59E-6 | 9.76E-6 | 1.33E-7 | 6.58E-7 | 1.48E-9 | -1.68E-6 | 8.87E-6 |
| ADP-f | MJ | 1.43E+1 | 3.81E-1 | 8.52E+0 | 2.32E+1 | 7.92E-2 | 5.17E-1 | 4.46E-3 | -7.76E+0 | 1.61E+1 |
| WDP | m3 depriv. | 2.89E-1 | 1.17E-3 | 1.49E-1 | 4.39E-1 | 2.43E-4 | 9.98E-3 | 2.52E-5 | -1.51E-1 | 2.98E-1 |
| PM | disease inc. | 1.38E-8 | 2.24E-9 | 2.53E-9 | 1.86E-8 | 4.66E-10 | 2.72E-9 | 3.07E-11 | -6.96E-9 | 1.48E-8 |
| IR | kBq U-235 eq | 8.04E-3 | 1.67E-3 | 9.98E-2 | 1.09E-1 | 3.46E-4 | 1.58E-3 | 2.06E-5 | -4.40E-3 | 1.07E-1 |
| ETP-fw | CTUe | 4.07E+0 | 3.10E-1 | 2.86E+0 | 7.23E+0 | 6.43E-2 | 5.95E-1 | 3.73E-3 | -2.00E+0 | 5.89E+0 |
| HTP-c | CTUh | 1.03E-10 | 1.10E-11 | 6.17E-11 | 1.76E-10 | 2.29E-12 | 7.30E-11 | 1.11E-13 | -4.84E-11 | 2.03E-10 |
| HTP-nc | CTUh | 2.88E-9 | 3.69E-10 | 1.95E-9 | 5.20E-9 | 7.67E-11 | 8.80E-10 | 2.41E-12 | -1.41E-9 | 4.74E-9 |
| SQP | Pt | 1.11E+0 | 3.26E-1 | 2.33E+0 | 3.77E+0 | 6.78E-2 | 4.10E-1 | 1.14E-2 | -2.73E+0 | 1.54E+0 |

| Resource use | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
|-----------------------------------|------|---------|---------|---------|---------|---------|---------|---------|----------|---------|
| PERE | MJ | 3.30E-1 | 5.47E-3 | 1.20E+0 | 1.54E+0 | 1.14E-3 | 2.52E-2 | 1.71E-4 | -5.51E-1 | 1.01E+0 |
| PERM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PERT | MJ | 3.30E-1 | 5.47E-3 | 1.20E+0 | 1.54E+0 | 1.14E-3 | 2.52E-2 | 1.71E-4 | -5.51E-1 | 1.01E+0 |
| PENRE | MJ | 1.54E+1 | 4.05E-1 | 8.55E+0 | 2.43E+1 | 8.41E-2 | 5.51E-1 | 4.73E-3 | -8.37E+0 | 1.66E+1 |
| PENRM | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PENRT | MJ | 1.54E+1 | 4.05E-1 | 8.55E+0 | 2.43E+1 | 8.41E-2 | 5.51E-1 | 4.73E-3 | -8.37E+0 | 1.66E+1 |
| PET | MJ | 1.57E+1 | 4.10E-1 | 9.75E+0 | 2.59E+1 | 8.52E-2 | 5.76E-1 | 4.90E-3 | -8.92E+0 | 1.76E+1 |
| SM | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NRSF | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| FW | m3 | 4.55E-3 | 4.31E-5 | 4.78E-3 | 9.37E-3 | 8.96E-6 | 2.97E-4 | 5.48E-6 | -2.49E-3 | 7.19E-3 |
| Output flows and waste categories | Unit | A1 | A2 | A3 | A1-A3 | C2 | C3 | C4 | D | Total |
| HWD | kg | 2.09E-6 | 9.75E-7 | 1.67E-7 | 3.23E-6 | 2.03E-7 | 8.57E-7 | 5.40E-9 | -2.01E-6 | 2.29E-6 |
| NHWD | kg | 1.91E-2 | 2.36E-2 | 4.76E-3 | 4.75E-2 | 4.91E-3 | 2.57E-2 | 1.96E-2 | -6.95E-3 | 9.08E-2 |
| RWD | kg | 7.07E-6 | 2.59E-6 | 2.50E-7 | 9.91E-6 | 5.39E-7 | 2.01E-6 | 2.91E-8 | -4.01E-6 | 8.47E-6 |
| CRU | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MFR | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MER | kg | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EE | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EET | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EEE | MJ | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |



Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
<https://www.ecochain.com>
+31 20 3035 777