

Trade Price List 1st January 2022

TERRACOTTA

Heating, Ventilation and
Roofing Products

Hepworth

TERRACOTTA

Contents

| | |
|--|--------------|
| Introduction to Hepworth Terracotta | 2-3 |
| Key to abbreviations | 2 |
| Acceptance | 3 |
| Quick Guide | 4-5 |
| Quick Guide – Top Selling Terracotta Items | 4-5 |
| Flue Liners | 6-7 |
| Class A1 – Flue Liners and Bends | 6-7 |
| Chimney Pots | 8-9 |
| Chimney Pots | 8-9 |
| Ventilation Terminals | 10 |
| Ventilation Terminals | 10 |
| Fireplace | 11-12 |
| Fireplace Throat Units | 11-12 |
| Gas Terminals | 13 |
| Gas Terminals | 13 |
| Ridge Tiles | 14-15 |
| Angled Ridge Tiles | 14 |
| Bulk Purchase Ridge Tiles | 15 |
| Airbricks | 16 |
| Airbricks | 16 |
| Numerical Index | 17-18 |
| Terracotta Website | 19 |
| Important Notes | 20 |
| Quality Assurance | 20 |
| Contact | 20 |

Introduction to

Hepworth Terracotta

Hepworth Terracotta from Wavin offers a comprehensive range of products for the construction and ventilation of domestic flue and chimney systems including a range of chimney pots, ventilation terminals, gas terminals, ridge tiles and air bricks.

Key to abbreviations

| | |
|----|------------|
| B | Buff |
| R | Red |
| X | Blue/Black |
| CE | CE Mark |

Important Notes

Where appropriate, the colour code is shown at the end of the Catalogue Number in the listing of Top Selling Items shown on pages 4 – 5.

Product photos are for example only and not representative of every fitting size.

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Find your nearest Hepworth Terracotta Stockist with any web enabled device, simply type in your town or post code and press enter.

www.stockist.wavin.co.uk

Acceptance

a) British Standards Institution

Round and Square Flue Liners to BS EN 1457-1:2012 – Classification – A1.

Flue Liner Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Gas Terminals to BS EN 13502:2002. BSI Group (Testing) for Aerodynamic Behaviour and Flow Resistance.

Ridge Tiles to BS EN 1304: 2013.

Airbricks to BS 493:1995.

b) CE Mark

CE – As of the 1st July 2013, the Construction Products Regulation (CPR) came into force. It is mandatory for any construction product covered by a harmonised European Norm (hEN) to have a Declaration of Performance (DoP) and an accompanying CE mark.

The product standards and ranges covered by the CPR and identified in this price list are:

BS EN 1457-1:2012 – Round and square flue liners

BS EN 13502:2002 – Stell Gas terminals

The CE is also marked on the actual product or product packaging. The specific DoP and CE mark details can be found and downloaded via www.hepworthterracotta.co.uk

c) HETAS Product Approval

A1 Flue liners – HETAS certificate no. DC033



Quick Guide – Top Selling Terracotta Items

Airbricks

| Sales Rank | | Product Cat No | Page |
|------------|---|----------------|------|
| 1 | Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Red | YA13R | 16 |
| 2 | Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Red | YA14R | 16 |
| 3 | Airbrick, 215 x 65 x 50mm, Square Hole, Colour: Buff | YA13B | 16 |
| 4 | Airbrick, 215 x 140 x 50mm, Square Hole, Colour: Buff | YA14B | 16 |
| 5 | Airbrick, 215 x 215 x 50mm, Square Hole, Colour: Red | YA15R | 16 |

Cavity Liners

| Sales Rank | | Product Cat No | Page |
|------------|---------------------------------|----------------|------|
| 1 | Cavity Liner, 215 x 65 x 200mm | YB11 | 16 |
| 2 | Cavity Liner, 215 x 140 x 200mm | YB13 | 16 |
| 3 | Cavity Liner, 215 x 215 x 200mm | YB15 | 16 |

Commissioning Pack

| Sales Rank | | Product Cat No | Page |
|------------|--|----------------|------|
| 1 | Chimney Notice Plate & Certificate (As required by Building Regulations 2010 ADJ) | YPLATE1 | 7 |

Chimney Pots

| Sales Rank | | Product Cat No | Page |
|------------|--------------------------------------|----------------|------|
| 1 | Roll Top, 300mm high, Colour: Red | YM17R | 8 |
| 2 | Roll Top, 450mm high, Colour: Red | YM19R | 8 |
| 3 | Cannon Head, 300mm high, Colour: Red | YM11R | 8 |
| 4 | Roll Top, 600mm high, Colour: Red | YM20R | 8 |
| 5 | Cannon Head, 450mm high, Colour: Red | YM13R | 8 |

Firebacks

| Sales Rank | | Product Cat No | Page |
|------------|-------------------------------|----------------|------|
| 1 | Milner Scored Fireback, 400mm | Y124 | 11 |
| 2 | Milner Scored Fireback, 450mm | Y125 | 11 |

Firebricks

| Sales Rank | | Product Cat No | Page |
|------------|-----------------|----------------|------|
| 1 | Firebrick, 64mm | Y135 | 11 |
| 2 | Firebrick, 76mm | Y136 | 11 |
| 3 | Firebrick, 52mm | Y134 | 11 |
| 4 | Firebrick, 38mm | Y133 | 11 |
| 5 | Firebrick, 25mm | Y132 | 11 |

Quick Guide – Top Selling Terracotta Items

Fireplace Lintels & Adaptors

| Sales Rank | Product | Product Cat No | Page |
|------------|--|----------------|------|
| 1 | Fireplace Lintel Y0600 for use with 600mm fireplace openings | Y0600 | 11 |
| 2 | Flue Adaptor for 225mm round dia. flue liners | Y0225R | 11 |
| 3 | Corbel unit, 800mm | Y0800 | 11 |
| 4 | Corbel unit, 1000mm | Y1000 | 11 |
| 5 | Flue Adaptor for 250mm round dia. flue liners | Y0250R | 11 |

Flue Liners (Class A1)

| Sales Rank | Product | Product Cat No | Page |
|------------|---|----------------|------|
| 1 | Class A1 Flue Liner, 300mm long, 225mm dia. round | YE11C1 | 6 |
| 2 | Class A1 Flue Liner, 300mm long, 185mm dia. round | YD11C1 | 6 |
| 3 | Class A1 Flue Liner, 300mm long, 225mm square | YH18C1 | 6 |
| 4 | Class A1 Flue Liner, 22.5° bend, 225mm dia. round | YE14C1 | 6 |
| 5 | Class A1 Flue Liner, 300mm long, 300mm dia. round | YF16C1 | 6 |

Flue System Jointing Compound

| Sales Rank | Product | Product Cat No | Page |
|------------|---|----------------|------|
| 1 | Sealant Cartridge, 300ml (will make approx. 4 x joints) | Y108 | 7 |

Gas Terminals

| Sales Rank | Product | Product Cat No | Page |
|------------|--|----------------|------|
| 1 | Stell 150 Gas Terminal, 205mm ext. dia. Colour: Red | YK23R | 13 |
| 2 | Stell 125 Gas Terminal, 160mm ext. dia. Colour: Blue/Black | YK18X | 13 |
| 3 | Stell 150 Gas Terminal, 180mm ext. dia. Colour: Buff | YK22B | 13 |

Ridge Tiles

| Sales Rank | Product | Product Cat No | Page |
|------------|--|----------------|------|
| 1 | Capped Angle Ridge Tile, 450mm long, 105°, Col: Blue/Black | YR54X | 14 |
| 2 | Capped Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black | YR53X | 14 |
| 3 | Capped Angle Ridge Tile, 450mm long, 115°, Col: Blue/Black | YR55X | 14 |
| 4 | Capped Angle Ridge Tile, 450mm long, 105°, Col: Red | YR54R | 14 |
| 5 | Plain Angle Ridge Tile, 450mm long, 90°, Col: Blue/Black | YR17X | 14 |













































Ventilation Terminals

| Sales Rank | Product | Product Cat No | Page |
|------------|--|----------------|------|
| 1 | Fluvent, 190mm high, 180mm spigot dia, Colour: Red | YL12R | 10 |
| 2 | Bonnet Insert, 285mm high, 180mm spigot dia, Colour: Red | YL19R | 10 |
| 3 | Fluvent, 190mm high, 160mm spigot dia, Colour: Red | YL11R | 10 |
| 4 | Fluvent, 190mm high, 180mm spigot dia, Colour: Buff | YL12B | 10 |
| 5 | Mushroom Top, 180mm spigot dia, Colour: Red | YL15R | 10 |

Hepworth

TERRACOTTA





Flue Liners

| Description | Nom mm | Cat No | Pack Qty | Price Each £ |
|---|-----------|-----------|-------------|-----------------|
| | Height | | | |
|  Class A1 Round Straight Liners | | | | |
| 125mm Internal Diameter  | 300 | YC10C1 | 26 | 24.84 |
| 150mm Internal Diameter  | 300 | YC16C1 | 39 | 27.49 |
| 185mm Internal Diameter  | 180 | YD10C1 | 25 | 30.40 |
| 185mm Internal Diameter  | 300 | YD11C1 | 25 | 29.20 |
| 210mm Internal Diameter  | 180 | YD17C1 | 40 | 34.58 |
| 210mm Internal Diameter  | 300 | YD18C1 | 40 | 38.11 |
| 225mm Internal Diameter  | 180 | YE10C1 | 32 | 40.06 |
| 225mm Internal Diameter  | 300 | YE11C1 | 32 | 39.22 |
| 250mm Internal Diameter  | 180 | YF10C1 | 32 | 46.80 |
| 250mm Internal Diameter  | 300 | YF11C1 | 32 | 72.90 |
| 300mm Internal Diameter  | 180 | YF15C1 | 18 | 78.30 |
| 300mm Internal Diameter  | 300 | YF16C1 | 18 | 105.67 |
|  Class A1 Round 22¹/₂° Bend | | | | |
| 125mm Internal Diameter  | | YC13C1 | 26 | 62.85 |
| 150mm Internal Diameter  | | YC19C1 | 39 | 65.11 |
| 185mm Internal Diameter  | | YD14C1 | 25 | 70.92 |
| 210mm Internal Diameter  | | YD21C1 | 20 | 132.57 |
| 225mm Internal Diameter  | | YE14C1 | 16 | 100.27 |
| 250mm Internal Diameter  | | YF12C1 | 16 | 166.19 |
| 300mm Internal Diameter  | | YF17C1 | 9 | 253.56 |
|  Class A1 Round 30° Bend | | | | |
| 125mm Internal Diameter  | | YC14C1 | 26 | 62.85 |
| 150mm Internal Diameter  | | YC20C1 | 39 | 65.11 |
| 185mm Internal Diameter  | | YD15C1 | 25 | 73.65 |
| 210mm Internal Diameter  | | YD22C1 | 20 | 132.57 |
| 225mm Internal Diameter  | | YE15C1 | 16 | 104.02 |
| 250mm Internal Diameter  | | YF13C1 | 16 | 166.19 |
| 300mm Internal Diameter  | | YF18C1 | 9 | 253.56 |
|  Class A1 Round 37¹/₂° Bend | | | | |
| 185mm Internal Diameter  | | YD16C1 | 25 | 73.65 |
| 225mm Internal Diameter  | | YE16C1 | 16 | 103.98 |
| 300mm Internal Diameter  | | YF19C1 | 9 | 253.56 |
| | Height | | | |
|  Class A1 Square Straight Liners | | | | |
| 185mm x 185mm Internal  | 180 | YG10C1 | 25 | 32.62 |
| 185mm x 185mm Internal  | 300 | YG11C1 | 25 | 37.83 |
| 225mm x 225mm Internal  | 180 | YH17C1 | 32 | 54.71 |
| 225mm x 225mm Internal  | 300 | YH18C1 | 32 | 66.60 |
| 300mm x 300mm Internal  | 180 | YJ15C1 | 18 | 106.44 |
| 300mm x 300mm Internal  | 300 | YJ16C1 | 18 | 139.09 |
|  Class A1 Square 22¹/₂° Bend | | | | |
| 185mm x 185mm Internal  | | YG14C1 | 25 | 92.10 |
| 225mm x 225mm Internal  | | YH21C1 | 16 | 169.28 |
| 300mm x 300mm Internal  | | YJ17C1 | 9 | 277.47 |

Hepworth

TERRACOTTA

Flue Liners





| Description | Nom mm | Cat No | Pack Qty | Price Each £ |
|--|--------|---------|----------|--------------|
|  <p>Class A1 Square 30° Bend 185mm x 185mm Internal CE 225mm x 225mm Internal CE 300mm x 300mm Internal CE</p> | | YG15C1 | 25 | 95.50 |
| | | YH22C1 | 16 | 175.54 |
| | | YJ18C1 | 9 | 426.16 |
|  <p>Class A1 Square 37 1/2° Bend 185mm x 185mm Internal CE 225mm x 225mm Internal CE</p> | | YG16C1 | 25 | 92.10 |
| | | YH23C1 | 18 | 169.28 |
|  <p>Flue System Jointing Compound Suitable for Clay Flue Liners and Gas Flue Blocks. Will make approx. 4 joints on 225mm diameter flue liners. (300ml cartridge, gun not included)</p> | 300ml | Y108 | 12 | 26.51 |
|  <p>Chimney Commissioning Pack (As required by the Building Regulations 2010 Approved Document J)</p> <p>Contents –</p> <ul style="list-style-type: none"> • 110mm x 105mm Aluminium Notice Plate • Special Marker Pen • Checklist Certificate and Explanatory Notes • Class A1 'Flue Size Selector' – Guide and Technical Information | | YPLATE1 | | 26.07 |

Note: Flue Liners should be installed with the socket facing upwards.


Hepworth

TERRACOTTA

Chimney Pots

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|--|------------|-----------|-------------|-----------------|
|  Decorative Fuel Effect Pot For installation details please refer to BS 5871 Part 3 2005. | 580 | YK10R | 12 | 208.59 |
| | 580 | YK10B | 12 | 208.59 |
| | 580 | YK10X | 12 | 250.54 |
|  Cannon Head | 300 | YM11R | 48 | 82.23 |
| | 300 | YM11B | 48 | 82.23 |
| | 300 | YM11X | 48 | 88.74 |
| | 375 | YM12R | 32 | 101.39 |
| | 375 | YM12B | 32 | 101.39 |
| | 375 | YM12X | 32 | 109.31 |
| | 450 | YM13R | 32 | 101.39 |
| | 450 | YM13B | 32 | 101.39 |
| | 450 | YM13X | 32 | 106.53 |
| | 600 | YM14R | 16 | 150.85 |
| | 600 | YM14B | 16 | 150.85 |
|  Roll Top | 300 | YM17R | 48 | 61.53 |
| | 300 | YM17B | 48 | 61.53 |
| | 300 | YM17X | 48 | 66.32 |
| | 375 | YM18R | 32 | 75.20 |
| | 375 | YM18B | 32 | 75.20 |
| | 375 | YM18X | 32 | 79.05 |
| | 450 | YM19R | 32 | 73.36 |
| | 450 | YM19B | 32 | 73.36 |
| | 450 | YM19X | 32 | 79.19 |
| | 600 | YM20R | 16 | 112.42 |
| | 600 | YM20B | 16 | 112.42 |
| | 600 | YM20X | 16 | 118.03 |
| | 750 | YM21R | 16 | 158.66 |
| | 750 | YM21B | 16 | 158.66 |
| | 750 | YM21X | 16 | 171.20 |
| | 900 | YM22R | 16 | 212.59 |
| | 900 | YM22B | 16 | 212.59 |
| 900 | YM22X | 16 | 229.20 | |
|  Octagon Pot | 600 | YQ11B | 12 | 798.29 |
| | 750 | YQ12B | 12 | 857.65 |
| | 900 | YQ13B | 12 | 997.53 |




Hepworth**TERRACOTTA****Chimney
Pots**

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|---|------------|-----------|-------------|-----------------|
|  Rook | Height | | | |
| | 500 | YQ35R | 16 | 326.96 |
| | 500 | YQ35B | 16 | 364.01 |

Hepworth

TERRACOTTA

Ventilation Terminals

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|---|-------------|--------|----------|--------------|
| | Spigot Dia. | | | |
|  Fluvent Ventilates redundant flues only. | 135 | YL10R | 48 | 92.70 |
| | 135 | YL10B | 48 | 92.70 |
| | 135 | YL10X | 48 | 116.01 |
| | 160 | YL11R | 48 | 86.69 |
| | 160 | YL11B | 48 | 86.69 |
| | 160 | YL11X | 48 | 108.25 |
| | 180 | YL12R | 48 | 84.33 |
| | 180 | YL12B | 48 | 84.33 |
| | 180 | YL12X | 48 | 91.31 |
| | 205 | YL13R | 36 | 92.70 |
| | 205 | YL13B | 36 | 92.70 |
| | 205 | YL13X | 36 | 100.44 |
| | 235 | YL14R | 36 | 92.70 |
| | 235 | YL14B | 36 | 92.70 |
| 235 | YL14X | 36 | 116.01 | |
|  Mushroom Top Ventilates redundant flues only. | 180 | YL15R | 12 | 96.18 |
| | 180 | YL15B | 12 | 96.18 |
| | 180 | YL15X | 12 | 100.97 |
|  Bonnet Insert Ventilates redundant flues only. | 135 | YL17R | 27 | 87.91 |
| | 135 | YL17B | 27 | 97.90 |
| | 135 | YL17X | 27 | 105.47 |
| | 160 | YL18R | 27 | 87.91 |
| | 160 | YL18B | 27 | 97.90 |
| | 160 | YL18X | 27 | 105.47 |
| | 180 | YL19R | 27 | 82.45 |
| | 180 | YL19B | 27 | 85.57 |
| | 180 | YL19X | 27 | 92.30 |
| | 205 | YL20R | 21 | 90.25 |
| | 205 | YL20B | 21 | 100.46 |
| 205 | YL20X | 21 | 105.47 | |

Warning: These terminals are not approved for use on operational flues (i.e. gas, oil, solid fuels). If a flue or chimney is brought back into operation and has a ventilation terminal in place, it should either be removed or replaced with a suitable pot or terminal appropriate to its new use and fuel type.










Recommended Chimney Pot and Ventilation Terminal combinations

| Chimney Pot Top ID | Ventilation Terminal Spigot OD |
|--------------------|--------------------------------|
| 150mm | 135mm |
| 185mm | 160mm |
| 210mm | 180mm |
| 225mm | 205mm |
| 250mm | 235mm |
| 300mm | N/A |

Hepworth

TERRACOTTA


Fireplace

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|---|----------------------------|--------------------------------------|---------------------------------|--------------------------------------|
| | W x H x D | | | |
|  Fireplace Lintel 600 For use with fireplace openings up to 600mm wide. Note: The Fireplace Lintel 600 must be used with the appropriate flue liner adaptor from 185mm to 300mm round or 185mm to 225mm square. | 800x 215x560 | Y0600 | | 277.04 |
|  800mm Corbel Unit for Fireplace System For use with fireplace openings up to 800mm wide. | 1000x 140x560 | Y0800 | | 260.74 |
|  1000mm Corbel Unit for Fireplace System For use with fireplace openings up to 1000mm wide. | 1200x 140x560 | Y1000 | | 325.93 |
|  Flue Adaptor for Fireplace System – Round 185mm Round | 580x 100x450 | Y0185R | | 142.76 |
| 210mm Round | 580x 100x450 | Y0210R | | 142.76 |
| 225mm Round | 580x 100x450 | Y0225R | | 142.76 |
| 250mm Round | 580x 100x450 | Y0250R | | 187.51 |
| 300mm Round | 580x 100x450 | Y0300R | | 187.51 |
|  Flue Adaptor for Fireplace System – Square 185mm Square | 580x 100x450 | Y0185S | | 142.76 |
| 225mm Square | 580x 100x450 | Y0225S | | 165.21 |
| | Width | | | |
|  Milner Scored Fireback 400 450 | 400 450 | Y124 Y125 | | 148.62 178.89 |
|  Throat Restrictor 400 450 | 400 450 | Y128 Y129 | | 47.73 60.84 |
|  Otty Hood 400 450 | 400 450 | Y130 Y131 | | 93.42 99.28 |
| | Height | | | |
|  Firebricks All items are 230mm wide x 114mm deep | 25 38 52 64 76 | Y132 Y133 Y134 Y135 Y136 | 100 100 100 100 100 | 7.00 7.03 7.30 7.26 7.61 |

Hepworth

TERRACOTTA



Fireplace

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|--|-----------------|-----------|-------------|------------------|
|  <p>Fireclay Note: Fireclay should not be used for jointing flue liners.</p> | Weight 25 kg | Y137 | 1 | per bag 45.98 |

Hepworth

TERRACOTTA

Gas Terminals

| Description | Size mm | Cat No | Pack Qty | Price Each £ | |
|---|---------------------------|--------|----------|--------------|--------|
| | Height | | | | |
|  Stell 125 Gas Terminal 160mm Ext. Dia. CE | 345 | YK18R | 25 | 144.40 | |
| | 345 | YK18B | 25 | 144.40 | |
| | 345 | YK18X | 25 | 171.30 | |
| | 180mm Ext. Dia. CE | 345 | YK19R | 25 | 140.57 |
| | 345 | YK19B | 25 | 140.57 | |
| | 345 | YK19X | 25 | 156.72 | |
|  Stell 150 Gas Terminal 180mm Ext. Dia. CE | 420 | YK22R | 25 | 183.12 | |
| | 420 | YK22B | 25 | 183.12 | |
| | 420 | YK22X | 25 | 217.18 | |
| | 205mm Ext. Dia. CE | 420 | YK23R | 25 | 210.90 |
| | 420 | YK23B | 25 | 210.90 | |
| | 420 | YK23X | 25 | 210.90 | |

Warning: Stell Gas Terminals are not suitable for use with solid fuel appliances or decorative fuel effect gas fires and inset live fuel effect gas fires, requiring a minimum 175mm diameter flue.



Recommended Chimney Pot and Gas Terminal combinations

| Chimney Pot Top ID | Gas Terminal Spigot OD |
|--------------------|------------------------|
| 185mm | 160mm |
| 210mm | 180mm |
| 225mm | 205mm |

Hepworth

TERRACOTTA

Ridge Tiles

| Description | Angle | Cat No | Pack Qty | Price Each £ | |
|--|--------------|--------|----------|--------------|-------|
| | Degree | | | | |
|  Plain Angle Length 450mm | 75° | YR16R | 100 | 30.09 | |
| | | YR16B | 100 | 30.09 | |
| | | YR16X | 100 | 31.50 | |
| | Length 450mm | 90° | YR17R | 100 | 28.96 |
| | | | YR17B | 100 | 28.96 |
| | | | YR17X | 100 | 30.30 |
| | Length 450mm | 105° | YR18R | 100 | 28.96 |
| | | | YR18B | 100 | 28.96 |
| | | | YR18X | 100 | 30.30 |
| | Length 450mm | 115° | YR19R | 100 | 28.96 |
| | | | YR19B | 100 | 28.96 |
| | | | YR19X | 100 | 30.30 |
| | Length 450mm | 125° | YR20R | 100 | 28.96 |
| | | | YR20B | 100 | 28.96 |
| | | | YR20X | 100 | 30.30 |
| | Length 450mm | 135° | YR21R | 100 | 30.09 |
| | | | YR21B | 100 | 30.09 |
| | | | YR21X | 100 | 31.50 |
|  Capped Angle Length 450mm | 75° | YR52R | 100 | 32.45 | |
| | | YR52B | 100 | 35.60 | |
| | | YR52X | 100 | 34.02 | |
| | Length 450mm | 90° | YR53R | 100 | 31.27 |
| | | | YR53B | 100 | 31.27 |
| | | | YR53X | 100 | 32.84 |
| | Length 450mm | 105° | YR54R | 100 | 31.27 |
| | | | YR54B | 100 | 31.27 |
| | | | YR54X | 100 | 32.84 |
| | Length 450mm | 115° | YR55R | 100 | 31.27 |
| | | | YR55B | 100 | 31.27 |
| | | | YR55X | 100 | 32.84 |
| | Length 450mm | 125° | YR56R | 100 | 31.27 |
| | | | YR56B | 100 | 31.27 |
| | | | YR56X | 100 | 32.84 |
| | Length 450mm | 135° | YR57R | 100 | 32.45 |
| | | | YR57B | 100 | 32.45 |
| | | | YR57X | 100 | 34.02 |



Cat. No. Colour Suffix: R = Red, B = Buff, X = Blue/Black

Ridge tiles can be ordered in singles unless otherwise indicated.

Hepworth

TERRACOTTA

Ridge Tiles




| Description | Angle | Cat No | Pack Qty | Price Each £ |
|---|--------|--------|----------|--------------|
| | Degree | | | |
|  Plain Angle – Pallet Qty[^] Length 450mm | 90° | YR67R | 100 | 18.69 |
| | | YR67X | 100 | 19.07 |
| | 105° | YR68R | 100 | 18.69 |
| | | YR68X | 100 | 19.07 |
| | 115° | YR69R | 100 | 18.69 |
| | YR69X | 100 | 19.07 | |
| | 125° | YR70X | 100 | 19.07 |
|  Capped Angle – Pallet Qty[^] Length 450mm | 90° | YR73R | 100 | 19.46 |
| | | YR73X | 100 | 19.86 |
| | 105° | YR74R | 100 | 19.46 |
| | | YR74X | 100 | 19.86 |
| | 115° | YR75R | 100 | 19.46 |
| | | YR75X | 100 | 19.86 |
| | 125° | YR76R | 100 | 19.46 |
| | YR76X | 100 | 19.86 | |

[^] Bulk purchase ridge tiles can only be purchased in pallet quantities of 100.

Hepworth

TERRACOTTA

Airbricks

| Description | Size mm | Cat No | Pack Qty | Price Each £ |
|--|--------------|-----------|-------------|-----------------|
|  Square Hole | W x H | | | |
| | 215x65 | YA13R | 100 | 5.61 |
| | | YA13B | 100 | 5.61 |
| | | YA13X | 100 | 6.95 |
| | 215x140 | YA14R | 105 | 8.34 |
| | | YA14B | 105 | 8.34 |
| | | YA14X | 105 | 10.57 |
| | 215x215 | YA15R | 50 | 20.97 |
| | | YA15B | 50 | 20.97 |
| | | YA15X | 50 | 23.98 |
|  Louvered Hole | 215x65 | YA16R | 100 | 6.52 |
| | | YA16B | 100 | 6.52 |
| | | YA16X | 100 | 8.33 |
| | 215x140 | YA17R | 105 | 10.66 |
| | | YA17B | 105 | 10.66 |
| | | YA17X | 105 | 13.66 |
| | | | | |
|  Cavity Liners | W x H x D | | | |
| | 215x65 x200 | YB11 | 100 | 10.15 |
| | 215x140 x200 | YB13 | 80 | 11.24 |
| | 215x215 x200 | YB15 | 30 | 28.94 |

Numerical Index

| Cat No | Price Each £ | Page No | Cat No | Price Each £ | Page No | Cat No | Price Each £ | Page No |
|--------|--------------|---------|--------|--------------|---------|---------|--------------|---------|
| Y0600 | 277.04 | 11 | YD18C1 | 38.11 | 6 | YL12X | 91.31 | 10 |
| Y108 | 26.51 | 7 | YD21C1 | 132.57 | 6 | YL13B | 92.70 | 10 |
| Y124 | 148.62 | 11 | YD22C1 | 132.57 | 6 | YL13R | 92.70 | 10 |
| Y125 | 178.89 | 11 | YE10C1 | 40.06 | 6 | YL13X | 100.44 | 10 |
| Y128 | 47.73 | 11 | YE11C1 | 39.22 | 6 | YL14B | 92.70 | 10 |
| Y129 | 60.84 | 11 | YE14C1 | 100.27 | 6 | YL14R | 92.70 | 10 |
| Y130 | 93.42 | 11 | YE15C1 | 104.02 | 6 | YL14X | 116.01 | 10 |
| Y131 | 99.28 | 11 | YE16C1 | 103.98 | 6 | YL15B | 96.18 | 10 |
| Y132 | 7.00 | 11 | YF10C1 | 46.80 | 6 | YL15R | 96.18 | 10 |
| Y133 | 7.03 | 11 | YF11C1 | 72.90 | 6 | YL15X | 100.97 | 10 |
| Y134 | 7.30 | 11 | YF12C1 | 166.19 | 6 | YL17B | 97.90 | 10 |
| Y135 | 7.26 | 11 | YF13C1 | 166.19 | 6 | YL17R | 87.91 | 10 |
| Y136 | 7.61 | 11 | YF15C1 | 78.30 | 6 | YL17X | 105.47 | 10 |
| Y137 | 45.98 | 12 | YF16C1 | 105.67 | 6 | YL18B | 97.90 | 10 |
| Y0185R | 142.76 | 11 | YF17C1 | 253.56 | 6 | YL18R | 87.91 | 10 |
| Y0185S | 142.76 | 11 | YF18C1 | 253.56 | 6 | YL18X | 105.47 | 10 |
| Y0210R | 142.76 | 11 | YF19C1 | 253.56 | 6 | YL19B | 85.57 | 10 |
| Y0225R | 142.76 | 11 | YG10C1 | 32.62 | 6 | YL19R | 82.45 | 10 |
| Y0225S | 165.21 | 11 | YG11C1 | 37.83 | 6 | YL19X | 92.30 | 10 |
| Y0250R | 187.51 | 11 | YG14C1 | 92.10 | 6 | YL20B | 100.46 | 10 |
| Y0300R | 187.51 | 11 | YG15C1 | 95.50 | 7 | YL20R | 90.25 | 10 |
| Y0800 | 260.74 | 11 | YG16C1 | 92.10 | 7 | YL20X | 105.47 | 10 |
| Y1000 | 325.93 | 11 | YH17C1 | 54.71 | 6 | YM11B | 82.23 | 8 |
| YA13B | 5.61 | 16 | YH18C1 | 66.60 | 6 | YM11R | 82.23 | 8 |
| YA13R | 5.61 | 16 | YH21C1 | 169.28 | 6 | YM11X | 88.74 | 8 |
| YA13X | 6.95 | 16 | YH22C1 | 175.54 | 7 | YM12B | 101.39 | 8 |
| YA14B | 8.34 | 16 | YH23C1 | 169.28 | 7 | YM12R | 101.39 | 8 |
| YA14R | 8.34 | 16 | YJ15C1 | 106.44 | 6 | YM12X | 109.31 | 8 |
| YA14X | 10.57 | 16 | YJ16C1 | 139.09 | 6 | YM13B | 101.39 | 8 |
| YA15B | 20.97 | 16 | YJ17C1 | 277.47 | 6 | YM13R | 101.39 | 8 |
| YA15R | 20.97 | 16 | YJ18C1 | 426.16 | 7 | YM13X | 106.53 | 8 |
| YA15X | 23.98 | 16 | YK10B | 208.59 | 8 | YM14B | 150.85 | 8 |
| YA16B | 6.52 | 16 | YK10R | 208.59 | 8 | YM14R | 150.85 | 8 |
| YA16R | 6.52 | 16 | YK10X | 250.54 | 8 | YM14X | 162.84 | 8 |
| YA16X | 8.33 | 16 | YK18B | 144.40 | 13 | YM17B | 61.53 | 8 |
| YA17B | 10.66 | 16 | YK18R | 144.40 | 13 | YM17R | 61.53 | 8 |
| YA17R | 10.66 | 16 | YK18X | 171.30 | 13 | YM17X | 66.32 | 8 |
| YA17X | 13.66 | 16 | YK19B | 140.57 | 13 | YM18B | 75.20 | 8 |
| YB11 | 10.15 | 16 | YK19R | 140.57 | 13 | YM18R | 75.20 | 8 |
| YB13 | 11.24 | 16 | YK19X | 156.72 | 13 | YM18X | 79.05 | 8 |
| YB15 | 28.94 | 16 | YK22B | 183.12 | 13 | YM19B | 73.36 | 8 |
| YC10C1 | 24.84 | 6 | YK22R | 183.12 | 13 | YM19R | 73.36 | 8 |
| YC13C1 | 62.85 | 6 | YK22X | 217.18 | 13 | YM19X | 79.19 | 8 |
| YC14C1 | 62.85 | 6 | YK23B | 210.90 | 13 | YM20B | 112.42 | 8 |
| YC16C1 | 27.49 | 6 | YK23R | 210.90 | 13 | YM20R | 112.42 | 8 |
| YC19C1 | 65.11 | 6 | YL10B | 92.70 | 10 | YM20X | 118.03 | 8 |
| YC20C1 | 65.11 | 6 | YL10R | 92.70 | 10 | YM21B | 158.66 | 8 |
| YD10C1 | 30.40 | 6 | YL10X | 116.01 | 10 | YM21R | 158.66 | 8 |
| YD11C1 | 29.20 | 6 | YL11B | 86.69 | 10 | YM21X | 171.20 | 8 |
| YD14C1 | 70.92 | 6 | YL11R | 86.69 | 10 | YM22B | 212.59 | 8 |
| YD15C1 | 73.65 | 6 | YL11X | 108.25 | 10 | YM22R | 212.59 | 8 |
| YD16C1 | 73.65 | 6 | YL12B | 84.33 | 10 | YM22X | 229.20 | 8 |
| YD17C1 | 34.58 | 6 | YL12R | 84.33 | 10 | YPLATE1 | 26.07 | 7 |

Numerical Index

| Cat No | Price Each £ | Page No |
|--------|--------------|---------|
| YQ11B | 798.29 | 8 |
| YQ12B | 857.65 | 8 |
| YQ13B | 997.53 | 8 |
| YQ35B | 364.01 | 9 |
| YQ35R | 326.96 | 9 |
| YR16B | 30.09 | 14 |
| YR16R | 30.09 | 14 |
| YR16X | 31.50 | 14 |
| YR17B | 28.96 | 14 |
| YR17R | 28.96 | 14 |
| YR17X | 30.30 | 14 |
| YR18B | 28.96 | 14 |
| YR18R | 28.96 | 14 |
| YR18X | 30.30 | 14 |
| YR19B | 28.96 | 14 |
| YR19R | 28.96 | 14 |
| YR19X | 30.30 | 14 |
| YR20B | 28.96 | 14 |
| YR20R | 28.96 | 14 |
| YR20X | 30.30 | 14 |
| YR21B | 30.09 | 14 |
| YR21R | 30.09 | 14 |
| YR21X | 31.50 | 14 |
| YR52B | 35.60 | 14 |
| YR52R | 32.45 | 14 |
| YR52X | 34.02 | 14 |
| YR53B | 31.27 | 14 |
| YR53R | 31.27 | 14 |
| YR53X | 32.84 | 14 |
| YR54B | 31.27 | 14 |
| YR54R | 31.27 | 14 |
| YR54X | 32.84 | 14 |
| YR55B | 31.27 | 14 |
| YR55R | 31.27 | 14 |
| YR55X | 32.84 | 14 |
| YR56B | 31.27 | 14 |
| YR56R | 31.27 | 14 |
| YR56X | 32.84 | 14 |
| YR57B | 32.45 | 14 |
| YR57R | 32.45 | 14 |
| YR57X | 34.02 | 14 |
| YR67R | 18.69 | 15 |
| YR67X | 19.07 | 15 |
| YR68R | 18.69 | 15 |
| YR68X | 19.07 | 15 |
| YR69R | 18.69 | 15 |
| YR69X | 19.07 | 15 |
| YR70X | 19.07 | 15 |
| YR73R | 19.46 | 15 |
| YR73X | 19.86 | 15 |
| YR74R | 19.46 | 15 |
| YR74X | 19.86 | 15 |
| YR75R | 19.46 | 15 |

| Cat No | Price Each £ | Page No |
|--------|--------------|---------|
| YR75X | 19.86 | 15 |
| YR76R | 19.46 | 15 |
| YR76X | 19.86 | 15 |


Hepworth Terracotta Website

For further product information and literature downloads visit:

www.hepworthterracotta.co.uk

Literature downloads include:

- Product Guide
- Datasheets
 - Ridge Tile Installation Guide
 - Standard Ridge Angle Calculator
 - Flue Liner Offset and Height Dimensions
 - Class A1 Flue Size Selector
 - Fireback Installation
 - Flue and Chimney Construction Guide
 - Chimney Notice Plate Data Sheet
 - Ventilation Terminal Selection
 - Airbrick Datasheet
 - Checklist Certificate for Hearths, Fireplaces, Flues and Chimneys
 - Declaration of Performance Certificates
 - Material Safety Datasheets
- Price List



Important Notes

All purchases are subject to our standard terms and conditions of sale, available at www.wavin.co.uk or call for a copy.

Prices are subject to VAT at the current rate.

Free delivery is subject to minimum order values as stated in your Wavin agreement.

Wavin offers a programme of continuous improvement and reserves the right to modify the specification of products without notice.

All information in this publication is believed to be correct at time of going to press. However, no responsibility can be accepted for any errors or omissions.

Quality Assurance

Wavin manufacturing sites operate Environmental Management Systems which comply with the requirements of and are certified to EN ISO 14001:2015, Certificate No. 42231.

All Wavin products are manufactured under a quality management system which is approved to BS EN ISO 9001: 2015.

Contact

| | |
|----------------------|--|
| Orders and enquiries | 0844 856 5152 |
| Technical advice | hepworth.terracotta@wavin.com |
| Address | Wavin Limited Edlington Lane Edlington Doncaster South Yorkshire DN12 1BY |
| Website | www.hepworthterracotta.co.uk |

Hepworth Terracotta Product Guide



Download from
hepworthterracotta.co.uk

Wavin Limited
 Edlington Lane
 Edlington
 Doncaster
 South Yorkshire DN12 1BY
www.hepworthterracotta.co.uk