

Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.80



Product: 3043716 - Angle int. KANION PVC 100xordered graph.
 Unit: 1 piece
 Manufacturer: Wavin - PL -Buk - Extra products

LCA standard: EN15804+A2 (2019)
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off
 Externally verified: Yes
 Issue date: 08-06-2023
 End of validity: 08-06-2028
 Verifier: Martijn van Hövell - SGS Search



Kanion gutters mean original design, elegance and aesthetics. They are designed to drain 100% of rainwater. It is safe to say that they are intended for the most demanding users.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - PL -Buk - Extra products (2020). (☑ = module declared, MND = module not declared).

A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
☑	☑	☑	MND	☑	☑	☑	☑									

Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

Construction process stage

A4 Transport gate to site
 A5 Assembly / Construction installation process

Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment
 B6 Operational energy use B7 Operational water use

End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing
 C4 Disposal

Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

Environmental impacts and parameters

GWP-total = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - PL -Buk - Extra products. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - PL -Buk - Extra products.

Results

Environmental impact	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
GWP-total	kg CO2 eq	1.46E+0	1.29E-2	6.12E-4	1.47E+0	6.87E-3	1.12E+0	2.26E-3	-3.77E-2	2.56E+0
GWP-f	kg CO2 eq	1.70E+0	1.29E-2	6.18E-4	1.71E+0	6.87E-3	4.52E-1	2.26E-3	-9.42E-1	1.23E+0
GWP-b	kg CO2 eq	-2.48E-1	7.83E-6	-6.53E-6	-2.48E-1	4.17E-6	6.65E-1	2.77E-6	9.10E-1	1.33E+0
GWP-luluc	kg CO2 eq	5.89E-3	4.56E-6	6.32E-7	5.89E-3	2.43E-6	1.10E-4	6.04E-8	-6.67E-3	-6.59E-4
ODP	kg CFC11 eq	4.12E-7	2.97E-9	3.50E-11	4.15E-7	1.58E-9	3.62E-8	8.24E-11	-2.28E-7	2.25E-7
AP	mol H+ eq	8.57E-3	7.35E-5	6.24E-6	8.65E-3	3.91E-5	8.67E-4	2.02E-6	-5.74E-3	3.82E-3
EP-fw	kg P eq	9.17E-5	1.06E-7	3.48E-8	9.18E-5	5.65E-8	3.83E-6	2.70E-9	-9.18E-5	3.91E-6
EP-m	kg N eq	2.28E-3	2.63E-5	6.56E-7	2.31E-3	1.40E-5	2.74E-4	1.28E-6	-1.28E-3	1.32E-3
EP-T	mol N eq	2.28E-2	2.90E-4	7.84E-6	2.31E-2	1.54E-4	3.00E-3	8.02E-6	-1.46E-2	1.16E-2
POCP	kg NMVOC eq	6.12E-3	8.28E-5	2.65E-6	6.21E-3	4.41E-5	8.96E-4	2.77E-6	-3.95E-3	3.20E-3
ADP-mm	kg Sb eq	6.13E-4	3.34E-7	8.32E-8	6.14E-4	1.78E-7	3.50E-6	2.04E-9	-1.29E-5	6.04E-4
ADP-f	MJ	3.28E+1	1.98E-1	5.74E-3	3.30E+1	1.05E-1	1.94E+0	6.03E-3	-1.80E+1	1.71E+1
WDP	m3 depriv.	1.34E+0	6.07E-4	2.21E-4	1.34E+0	3.24E-4	4.95E-2	4.76E-5	-1.75E+0	-3.53E-1
PM	disease inc.	1.03E-7	1.16E-9	3.84E-11	1.04E-7	6.20E-10	1.19E-8	4.15E-11	-9.84E-8	1.84E-8
IR	kBq U-235 eq	7.94E-2	8.65E-4	4.31E-6	8.03E-2	4.61E-4	7.62E-3	2.76E-5	-7.20E-2	1.64E-2
ETP-fw	CTUe	1.32E+2	1.61E-1	5.11E-2	1.33E+2	8.56E-2	9.92E+0	9.08E-2	-7.45E+1	6.82E+1
HTP-c	CTUh	1.26E-9	5.72E-12	2.61E-12	1.27E-9	3.05E-12	2.74E-10	1.72E-13	-7.88E-10	7.62E-10
HTP-nc	CTUh	3.24E-8	1.92E-10	6.62E-11	3.26E-8	1.02E-10	4.53E-9	1.76E-11	-2.26E-8	1.47E-8
SQP	Pt	6.18E+1	1.69E-1	9.47E-3	6.19E+1	9.02E-2	1.17E+0	1.54E-2	-1.83E+2	-1.20E+2
Resource use	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
PERE	MJ	1.18E+1	2.84E-3	1.02E-1	1.19E+1	1.51E-3	1.04E-1	2.22E-4	-3.28E+1	-2.08E+1
PERM	MJ	0	0	0	0	0	0	0	0	0
PERT	MJ	1.18E+1	2.84E-3	1.02E-1	1.19E+1	1.51E-3	1.04E-1	2.22E-4	-3.28E+1	-2.08E+1
PENRE	MJ	3.53E+1	2.10E-1	6.11E-3	3.55E+1	1.12E-1	2.07E+0	6.40E-3	-1.93E+1	1.84E+1
PENRM	MJ	0	0	0	0	0	0	0	0	0
PENRT	MJ	3.53E+1	2.10E-1	6.11E-3	3.55E+1	1.12E-1	2.07E+0	6.40E-3	-1.93E+1	1.84E+1
PET	MJ	4.71E+1	2.13E-1	1.08E-1	4.74E+1	1.13E-1	2.17E+0	6.62E-3	-5.21E+1	-2.38E+0
SM	kg	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0
FW	m3	2.53E-2	2.24E-5	6.17E-6	2.54E-2	1.19E-5	1.54E-3	7.35E-6	-3.90E-2	-1.21E-2

Output flows and waste categories	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
HWD	kg	1.06E-4	5.06E-7	1.16E-12	1.07E-4	2.70E-7	4.12E-6	7.41E-9	-2.20E-5	8.89E-5
NHWD	kg	2.51E-1	1.23E-2	4.46E-6	2.63E-1	6.53E-3	8.44E-2	2.64E-2	-1.06E-1	2.74E-1
RWD	kg	7.81E-5	1.35E-6	4.64E-13	7.94E-5	7.17E-7	9.59E-6	3.91E-8	-6.83E-5	2.15E-5
CRU	kg	0	0	0	0	0	0	0	0	0
MFR	kg	0	0	0	0	0	0	0	0	0
MER	kg	0	0	0	0	0	0	0	0	0
EE	MJ	0	0	0	0	0	0	0	0	0
EET	MJ	0	0	0	0	0	0	0	0	0
EEE	MJ	0	0	0	0	0	0	0	0	0



Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
<https://www.ecochain.com>
+31 20 3035 777