

# Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.80



Product: 3021512 - KANION PVC Socket Bend 110x67 BN S/S  
 Unit: 1 piece  
 Manufacturer: Wavin - PL -Buk - Extra products

LCA standard: EN15804+A2 (2019)  
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off  
 Externally verified: Yes  
 Issue date: 08-06-2023  
 End of validity: 08-06-2028  
 Verifier: Martijn van Hövell - SGS Search



Kanion gutters mean original design, elegance and aesthetics. They are designed to drain 100% of rainwater. It is safe to say that they are intended for the most demanding users.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - PL -Buk - Extra products (2020). (☑ = module declared, MND = module not declared).

| A1 | A2 | A3 | A4  | A5  | B1  | B2  | B3  | B4  | B5  | B6  | B7  | C1  | C2 | C3 | C4 | D |
|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|---|
| ☑  | ☑  | ☑  | MND | ☑  | ☑  | ☑  | ☑ |

## Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

## Construction process stage

A4 Transport gate to site  
 A5 Assembly / Construction installation process

## Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment  
 B6 Operational energy use B7 Operational water use

## End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing  
 C4 Disposal

## Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

## Environmental impacts and parameters

**GWP-total** = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

## Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - PL -Buk - Extra products. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - PL -Buk - Extra products.

# Results

| Environmental impact | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
|----------------------|--------------|----------|----------|----------|----------|----------|----------|----------|-----------|----------|
| GWP-total            | kg CO2 eq    | 6.40E-1  | 1.23E-2  | 1.45E-4  | 6.53E-1  | 8.37E-3  | 5.14E-1  | 2.69E-3  | -3.87E-1  | 7.91E-1  |
| GWP-f                | kg CO2 eq    | 8.32E-1  | 1.23E-2  | 1.46E-4  | 8.44E-1  | 8.37E-3  | 2.83E-1  | 2.69E-3  | -4.57E-1  | 6.81E-1  |
| GWP-b                | kg CO2 eq    | -1.93E-1 | 7.44E-6  | -1.54E-6 | -1.93E-1 | 5.08E-6  | 2.32E-1  | 3.34E-6  | 7.11E-2   | 1.10E-1  |
| GWP-luluc            | kg CO2 eq    | 1.09E-3  | 4.34E-6  | 1.49E-7  | 1.10E-3  | 2.96E-6  | 1.06E-4  | 7.23E-8  | -8.33E-4  | 3.71E-4  |
| ODP                  | kg CFC11 eq  | 3.66E-7  | 2.82E-9  | 8.26E-12 | 3.69E-7  | 1.93E-9  | 2.96E-8  | 9.92E-11 | -1.91E-7  | 2.09E-7  |
| AP                   | mol H+ eq    | 3.98E-3  | 6.98E-5  | 1.47E-6  | 4.05E-3  | 4.77E-5  | 5.30E-4  | 2.43E-6  | -1.93E-3  | 2.71E-3  |
| EP-fw                | kg P eq      | 3.76E-5  | 1.01E-7  | 8.24E-9  | 3.77E-5  | 6.88E-8  | 3.57E-6  | 3.24E-9  | -2.11E-5  | 2.02E-5  |
| EP-m                 | kg N eq      | 7.51E-4  | 2.50E-5  | 1.55E-7  | 7.76E-4  | 1.71E-5  | 1.35E-4  | 1.48E-6  | -3.74E-4  | 5.56E-4  |
| EP-T                 | mol N eq     | 8.07E-3  | 2.75E-4  | 1.85E-6  | 8.34E-3  | 1.88E-4  | 1.49E-3  | 9.65E-6  | -4.12E-3  | 5.91E-3  |
| POCP                 | kg NMVOC eq  | 2.67E-3  | 7.87E-5  | 6.28E-7  | 2.74E-3  | 5.37E-5  | 4.43E-4  | 3.33E-6  | -1.37E-3  | 1.88E-3  |
| ADP-mm               | kg Sb eq     | 2.16E-4  | 3.17E-7  | 1.97E-8  | 2.16E-4  | 2.16E-7  | 2.08E-6  | 2.45E-9  | -8.28E-6  | 2.10E-4  |
| ADP-f                | MJ           | 1.96E+1  | 1.88E-1  | 1.36E-3  | 1.98E+1  | 1.28E-1  | 1.40E+0  | 7.26E-3  | -1.03E+1  | 1.11E+1  |
| WDP                  | m3 depriv.   | 1.13E+0  | 5.77E-4  | 5.22E-5  | 1.13E+0  | 3.94E-4  | 5.26E-2  | 5.60E-5  | -6.32E-1  | 5.51E-1  |
| PM                   | disease inc. | 3.39E-8  | 1.11E-9  | 9.08E-12 | 3.50E-8  | 7.55E-10 | 6.63E-9  | 5.00E-11 | -1.96E-8  | 2.28E-8  |
| IR                   | kBq U-235 eq | 4.13E-2  | 8.22E-4  | 1.02E-6  | 4.21E-2  | 5.61E-4  | 5.00E-3  | 3.32E-5  | -2.25E-2  | 2.53E-2  |
| ETP-fw               | CTUe         | 2.49E+1  | 1.53E-1  | 1.21E-2  | 2.50E+1  | 1.04E-1  | 1.03E+1  | 1.12E-1  | -1.16E+1  | 2.40E+1  |
| HTP-c                | CTUh         | 8.06E-10 | 5.43E-12 | 6.17E-13 | 8.12E-10 | 3.71E-12 | 1.68E-10 | 2.07E-13 | -3.06E-10 | 6.77E-10 |
| HTP-nc               | CTUh         | 2.02E-8  | 1.82E-10 | 1.57E-11 | 2.04E-8  | 1.24E-10 | 3.72E-9  | 2.16E-11 | -7.03E-9  | 1.73E-8  |
| SQP                  | Pt           | 2.22E+1  | 1.61E-1  | 2.24E-3  | 2.24E+1  | 1.10E-1  | 8.65E-1  | 1.86E-2  | -2.81E+1  | -4.76E+0 |
| Resource use         | Unit         | A1       | A2       | A3       | A1-A3    | C2       | C3       | C4       | D         | Total    |
| PERE                 | MJ           | 5.87E+0  | 2.70E-3  | 2.40E-2  | 5.90E+0  | 1.84E-3  | 9.80E-2  | 2.66E-4  | -4.86E+0  | 1.14E+0  |
| PERM                 | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| PERT                 | MJ           | 5.87E+0  | 2.70E-3  | 2.40E-2  | 5.90E+0  | 1.84E-3  | 9.80E-2  | 2.66E-4  | -4.86E+0  | 1.14E+0  |
| PENRE                | MJ           | 2.11E+1  | 2.00E-1  | 1.44E-3  | 2.13E+1  | 1.36E-1  | 1.49E+0  | 7.70E-3  | -1.11E+1  | 1.18E+1  |
| PENRM                | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| PENRT                | MJ           | 2.11E+1  | 2.00E-1  | 1.44E-3  | 2.13E+1  | 1.36E-1  | 1.49E+0  | 7.70E-3  | -1.11E+1  | 1.18E+1  |
| PET                  | MJ           | 2.69E+1  | 2.02E-1  | 2.55E-2  | 2.72E+1  | 1.38E-1  | 1.58E+0  | 7.97E-3  | -1.60E+1  | 1.29E+1  |
| SM                   | kg           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| RSF                  | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| NRSF                 | MJ           | 0        | 0        | 0        | 0        | 0        | 0        | 0        | 0         | 0        |
| FW                   | m3           | 1.38E-2  | 2.13E-5  | 1.46E-6  | 1.38E-2  | 1.45E-5  | 1.46E-3  | 8.85E-6  | -8.43E-3  | 6.84E-3  |

| Output flows and waste categories | Unit | A1      | A2      | A3       | A1-A3   | C2      | C3      | C4      | D        | Total   |
|-----------------------------------|------|---------|---------|----------|---------|---------|---------|---------|----------|---------|
| HWD                               | kg   | 4.17E-5 | 4.81E-7 | 2.73E-13 | 4.21E-5 | 3.28E-7 | 2.36E-6 | 8.92E-9 | -1.07E-5 | 3.41E-5 |
| NHWD                              | kg   | 9.77E-2 | 1.17E-2 | 1.05E-6  | 1.09E-1 | 7.96E-3 | 5.35E-2 | 3.18E-2 | -4.20E-2 | 1.61E-1 |
| RWD                               | kg   | 3.74E-5 | 1.28E-6 | 1.10E-13 | 3.87E-5 | 8.73E-7 | 5.48E-6 | 4.71E-8 | -2.06E-5 | 2.45E-5 |
| CRU                               | kg   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |
| MFR                               | kg   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |
| MER                               | kg   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |
| EE                                | MJ   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |
| EET                               | MJ   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |
| EEE                               | MJ   | 0       | 0       | 0        | 0       | 0       | 0       | 0       | 0        | 0       |



Ecochain Technologies BV  
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands  
<https://www.ecochain.com>  
+31 20 3035 777