

Environmental Profile

This LCA is calculated according to: ISO 14044, ISO 14040 and EN 15804

Ecochain v3.5.80



Product: 3024191 - KANION PVC Socket Bend 50x67 BK S/PL
 Unit: 1 piece
 Manufacturer: Wavin - PL -Buk - Extra products

LCA standard: EN15804+A2 (2019)
 Standard database: Worldwide - Ecoinvent v 3.6 Cut-Off
 Externally verified: Yes
 Issue date: 08-06-2023
 End of validity: 08-06-2028
 Verifier: Martijn van Hövell - SGS Search



Kanion gutters mean original design, elegance and aesthetics. They are designed to drain 100% of rainwater. It is safe to say that they are intended for the most demanding users.

This LCA was evaluated according to EN15804+A2. It was concluded that the LCA complies with this standard

The LCA background information and project dossier have been registered in the online Ecochain application in the account Wavin - PL -Buk - Extra products (2020). (☑ = module declared, MND = module not declared).

A1	A2	A3	A4	A5	B1	B2	B3	B4	B5	B6	B7	C1	C2	C3	C4	D
☑	☑	☑	MND	☑	☑	☑	☑									

Product stage

A1 Raw material supply A2 Transport A3 Manufacturing

Construction process stage

A4 Transport gate to site
 A5 Assembly / Construction installation process

Use stage

B1 Use B2 Maintenance B3 Repair B4 Replacement B5 Refurbishment
 B6 Operational energy use B7 Operational water use

End-of-Life stage

C1 De-construction demolition C2 Transport C3 Waste processing
 C4 Disposal

Benefits and loads beyond the system boundaries

D Reuse- Recovery- Recycling- potential

Environmental impacts and parameters

GWP-total = EF EN15804+A2 Climate Change [kg CO2 eq]; **GWP-f** = EF Climate change - Fossil [kg CO2 eq]; **GWP-b** = EF EN15804+A2 Climate Change - Biogenic [kg CO2 eq]; **GWP-luluc** = EF EN15804+A2 Climate Change - Land use and LU change [kg CO2 eq]; **ODP** = EF Ozone depletion [kg CFC11 eq]; **AP** = EF Acidification [mol H+ eq]; **EP-fw** = EF Eutrophication, freshwater [kg P eq]; **EP-m** = EF Eutrophication, marine [kg N eq]; **EP-T** = EF Eutrophication, terrestrial [mol N eq]; **POCP** = EF Photochemical ozone formation [kg NMVOC eq]; **ADP-mm** = EF Resource use, minerals and metals [kg Sb eq]; **ADP-f** = EF Resource use, fossils [MJ]; **WDP** = EF Water use [m3 depriv.]; **PM** = EF Particulate matter [disease inc.]; **IR** = EF Ionising radiation [kBq U-235 eq]; **ETP-fw** = EF Ecotoxicity, freshwater [CTUe]; **HTP-c** = EF Human toxicity, cancer [CTUh]; **HTP-nc** = EF Human toxicity, non-cancer [CTUh]; **SQP** = EF Land use [Pt]; **PERE** = Use of renewable primary energy excluding renewable primary energy resources used as raw materials [MJ]; **PERM** = Use of renewable primary energy resources used as raw materials [MJ]; **PERT** = Total use of renewable primary energy resources [MJ]; **PENRE** = Use of non-renewable primary energy excluding non-renewable primary energy resources used as raw materials [MJ]; **PENRM** = Use of non-renewable primary energy resources used as raw materials [MJ]; **PENRT** = Total use of non-renewable primary energy resources [MJ]; **PET** = Total energy [MJ]; **SM** = Use of secondary material [kg]; **RSF** = Use of renewable secondary fuels [MJ]; **NRSF** = Use of non-renewable secondary fuels [MJ]; **FW** = Use of net fresh water [m3]; **HWD** = Hazardous waste disposed [kg]; **NHWD** = Non-hazardous waste disposed [kg]; **RWD** = Radioactive waste disposed [kg]; **CRU** = Components for re-use [kg]; **MFR** = Materials for recycling [kg]; **MER** = Materials for energy recovery [kg]; **EE** = Exported energy [MJ]; **EET** = Exported energy thermic [MJ]; **EEE** = Exported energy electric [MJ]

Statement of Confidentiality

This document and supporting material contain confidential and proprietary business information of Wavin - PL -Buk - Extra products. These materials may be printed or (photo) copied or otherwise used only with the written consent of Wavin - PL -Buk - Extra products.

Results

Environmental impact	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
GWP-total	kg CO2 eq	1.55E-1	3.61E-3	1.45E-4	1.59E-1	1.40E-3	1.67E-1	4.53E-4	-8.30E-2	2.45E-1
GWP-f	kg CO2 eq	2.21E-1	3.61E-3	1.46E-4	2.25E-1	1.39E-3	8.50E-2	4.53E-4	-1.16E-1	1.95E-1
GWP-b	kg CO2 eq	-6.57E-2	2.19E-6	-1.54E-6	-6.57E-2	8.47E-7	8.15E-2	5.55E-7	3.37E-2	4.95E-2
GWP-luluc	kg CO2 eq	3.68E-4	1.28E-6	1.49E-7	3.69E-4	4.94E-7	1.85E-5	1.23E-8	-3.07E-4	8.12E-5
ODP	kg CFC11 eq	6.63E-8	8.32E-10	8.26E-12	6.71E-8	3.21E-10	5.32E-9	1.66E-11	-3.63E-8	3.64E-8
AP	mol H+ eq	1.08E-3	2.06E-5	1.47E-6	1.10E-3	7.95E-6	1.06E-4	4.06E-7	-4.78E-4	7.37E-4
EP-fw	kg P eq	9.90E-6	2.97E-8	8.24E-9	9.93E-6	1.15E-8	6.26E-7	5.49E-10	-5.73E-6	4.84E-6
EP-m	kg N eq	2.24E-4	7.36E-6	1.55E-7	2.31E-4	2.84E-6	2.95E-5	2.45E-7	-1.01E-4	1.63E-4
EP-T	mol N eq	2.35E-3	8.11E-5	1.85E-6	2.43E-3	3.13E-5	3.25E-4	1.61E-6	-1.13E-3	1.66E-3
POCP	kg NMVOC eq	7.88E-4	2.32E-5	6.28E-7	8.12E-4	8.96E-6	9.63E-5	5.57E-7	-3.60E-4	5.57E-4
ADP-mm	kg Sb eq	1.48E-4	9.34E-8	1.97E-8	1.48E-4	3.61E-8	4.07E-7	4.13E-10	-1.62E-6	1.47E-4
ADP-f	MJ	5.00E+0	5.54E-2	1.36E-3	5.06E+0	2.14E-2	2.63E-1	1.21E-3	-2.40E+0	2.95E+0
WDP	m3 depriv.	2.25E-1	1.70E-4	5.22E-5	2.26E-1	6.57E-5	8.95E-3	1.03E-5	-1.40E-1	9.45E-2
PM	disease inc.	1.06E-8	3.26E-10	9.08E-12	1.10E-8	1.26E-10	1.35E-9	8.35E-12	-6.09E-9	6.35E-9
IR	kBq U-235 eq	1.02E-2	2.42E-4	1.02E-6	1.05E-2	9.36E-5	9.59E-4	5.53E-6	-5.41E-3	6.12E-3
ETP-fw	CTUe	8.69E+0	4.50E-2	1.21E-2	8.75E+0	1.74E-2	1.74E+0	1.83E-2	-3.80E+0	6.72E+0
HTP-c	CTUh	2.20E-10	1.60E-12	6.17E-13	2.23E-10	6.19E-13	3.67E-11	3.52E-14	-7.76E-11	1.82E-10
HTP-nc	CTUh	5.11E-9	5.36E-11	1.57E-11	5.18E-9	2.07E-11	6.96E-10	3.55E-12	-1.44E-9	4.46E-9
SQP	Pt	7.59E+0	4.74E-2	2.24E-3	7.64E+0	1.83E-2	1.65E-1	3.09E-3	-1.10E+1	-3.14E+0
Resource use	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
PERE	MJ	1.61E+0	7.95E-4	2.40E-2	1.64E+0	3.07E-4	1.72E-2	4.39E-5	-1.87E+0	-2.18E-1
PERM	MJ	0	0	0	0	0	0	0	0	0
PERT	MJ	1.61E+0	7.95E-4	2.40E-2	1.64E+0	3.07E-4	1.72E-2	4.39E-5	-1.87E+0	-2.18E-1
PENRE	MJ	5.37E+0	5.88E-2	1.44E-3	5.43E+0	2.27E-2	2.79E-1	1.29E-3	-2.59E+0	3.14E+0
PENRM	MJ	0	0	0	0	0	0	0	0	0
PENRT	MJ	5.37E+0	5.88E-2	1.44E-3	5.43E+0	2.27E-2	2.79E-1	1.29E-3	-2.59E+0	3.14E+0
PET	MJ	6.98E+0	5.96E-2	2.55E-2	7.06E+0	2.30E-2	2.96E-1	1.33E-3	-4.46E+0	2.92E+0
SM	kg	0	0	0	0	0	0	0	0	0
RSF	MJ	0	0	0	0	0	0	0	0	0
NRSF	MJ	0	0	0	0	0	0	0	0	0
FW	m3	3.39E-3	6.27E-6	1.46E-6	3.40E-3	2.42E-6	2.58E-4	1.47E-6	-2.30E-3	1.36E-3

Output flows and waste categories	Unit	A1	A2	A3	A1-A3	C2	C3	C4	D	Total
HWD	kg	2.22E-5	1.42E-7	2.73E-13	2.23E-5	5.48E-8	4.77E-7	1.50E-9	-2.86E-6	2.00E-5
NHWD	kg	2.65E-2	3.43E-3	1.05E-6	2.99E-2	1.33E-3	1.19E-2	5.31E-3	-1.03E-2	3.80E-2
RWD	kg	9.83E-6	3.77E-7	1.10E-13	1.02E-5	1.46E-7	1.10E-6	7.85E-9	-5.13E-6	6.32E-6
CRU	kg	0	0	0	0	0	0	0	0	0
MFR	kg	0	0	0	0	0	0	0	0	0
MER	kg	0	0	0	0	0	0	0	0	0
EE	MJ	0	0	0	0	0	0	0	0	0
EET	MJ	0	0	0	0	0	0	0	0	0
EEE	MJ	0	0	0	0	0	0	0	0	0



Ecochain Technologies BV
H.J.E. Wenckebachweg 123, 1096 AM Amsterdam, The Netherlands
<https://www.ecochain.com>
+31 20 3035 777